

ESTABLISHED OVER



YEARS

gap

TRADE SPECIALISTS.

For Low Maintenance Homes.

PRODUCT GUIDE 2024

Welcome

2-3

Roofline &  
Cladding

4-37

Rockdoor

38-47

Windows &  
Ancillaries

48-59

GRP Composite  
Doors

60-65

Bi Folding  
Doors

66-71

Window &  
Door Canopies

72-75

Sky Lights &  
Conservatories

76-87

Roofing  
Solutions

88-99

Drainage  
& Soil

100-105

Decking &  
Fencing

106-115

Internal  
Cladding

116-125

Installation  
Essentials

126-135

Tools &  
Fixings

136-145

# Welcome to



## Trade Specialists

We are trade specialists in the manufacturing, stocking and distribution of low maintenance building products, successfully supplying customers for 30 years.

We have a depot network stretching across the country, so you're never far away from our huge range of top quality products and friendly, experienced staff.



## Our Depots

Call by any of our fitter friendly depots and get access to all the products you need to get the job done such as roofline, cladding, window trims, fixings and sealants. You can also order made to measure PVC-U and aluminium windows, doors, bi-folds, sliders and roof lanterns quickly and easily.



## Trade Membership

Having a trade membership with GAP simply means you get access to our lowest trade prices in every one of our depots, every time you call by. We also offer credit accounts where required, so please speak to our team.



# DEPOTS NATIONWIDE

Over 100 depots with fitter friendly trade counters, offering a local service across all parts of the UK.



## Expert Advice

Hints, tips and advice from our dedicated teams. Plus, specialist technical support when needed.



## Low Trade Prices

Low trade prices on thousands of stocked products and made to measure items.



## Fast Delivery

Fast free delivery from your local depot, no matter what the product.\*



## Order Online

Order online or instore, whatever is easiest for you. Your trade prices will be available however you order.



## Huge Stocks

We manufacture it, stock it and deliver it, so rest assured you're always in good hands with GAP.



Scan to find your  
local depot

\*Restrictions apply

# HOMELINE

ROOFLINE.







## ROOFLINE & CLADDING

Core	06
Fascias & Soffits	08
Dry Verge	16
Cladding	18
Rainwater	28



recycled into our core, not the earths.

**The Industry's 1<sup>st</sup> and only BBA approved recycled roofline from Homeline.**

#### VIRGIN PVC-U SKIN

To guarantee a match, we use the same process as our non-recycled fascias. This means once installed – it's impossible to tell the difference!

#### 100% RECYCLED CORE

We use recycled PVC-U rooflines that are re-extruded into our inner core, which meet and exceed the most stringent recycling and sustainability criteria.

**UK  
CA**

**Calcium  
ZINC**  
lead & tin free



KM58460 FM537077 EMS565873



# CORE

## SQUARE 16mm



**DESCRIPTION** **CODE**

150mm x 5m	ESF150
175mm x 5m	ESF175
200mm x 5m	ESF200
225mm x 5m	ESF225
250mm x 5m	ESF250
405mm x 5m	ESF405

Only available in White

## SQUARE CAP OVER 9mm



**DESCRIPTION** **CODE**

100mm x 5m	ERC095
150mm x 5m	ERC150
175mm x 5m	ERC175
200mm x 5m	ERC200
225mm x 5m	ERC225
250mm x 5m	ERC250
300mm x 5m	ERC300
400mm x 5m	ERC400
605mm x 5m	ERC605

Only available in White

## SOLID SOFFIT 9mm



**DESCRIPTION** **CODE**

100mm x 5m	EMB100
150mm x 5m	EMB150
175mm x 5m	EMB175
200mm x 5m	EMB200
225mm x 5m	EMB225
250mm x 5m	EMB250
300mm x 5m	EMB300
400mm x 5m	EMB405
450mm x 5m	EMB450
500mm x 5m	EMB500
605mm x 5m	EMB605

Only available in White



Core is a BBA approved recycled roofline system from Homeline Building Products. The outer skin features a virgin PVC skin for colour stability, with the inner core being made of recycled PVC-U rooflines, windows and doors.

## SHIPLAP CLADDING



**DESCRIPTION** **CODE**

150mm x 5m	ESL150
------------	--------

Only available in White



# FASCIAS

## SQUARE 16mm



### DESCRIPTION

### CODE

150mm x 5m	GSF150
175mm x 5m	GSF175
200mm x 5m	GSF200
225mm x 5m	GSF225
250mm x 5m	GSF250
300mm x 5m	GSF300
405mm x 5m	GSF405
405mm x 1.25m	GBESF

### Plain Colours



W

PB

CX7016

BL

AG

DG

SG

AGATE

R

IO

LO

CR

CG

FW

### Foiled Colours



## FLAT 16mm



### DESCRIPTION

### CODE

100mm x 5m	GFF100
150mm x 5m	GFF150
175mm x 5m	GFF175
200mm x 5m	GFF200
225mm x 5m	GFF225
250mm x 5m	GFF250
405mm x 5m	GFF405

Available in White & a selection of foils

## SQUARE 22mm



### DESCRIPTION

### CODE

150mm x 5m	GJF150
175mm x 5m	GJF175
200mm x 5m	GJF200
225mm x 5m	GJF225
250mm x 5m	GJF250
405mm x 5m	GJF405

Only available in White

## BULLNOSE 16mm



### DESCRIPTION

### CODE

150mm x 5m	GFB150
175mm x 5m	GFB175
200mm x 5m	GFB200
225mm x 5m	GFB225
250mm x 5m	GFB250
405mm x 5m	GFB405

Only available in White

## BULLNOSE 22mm



### DESCRIPTION

### CODE

150mm x 5m	GBJ150
175mm x 5m	GBJ175
200mm x 5m	GBJ200
225mm x 5m	GBJ225
250mm x 5m	GBJ250
405mm x 5m	GBJ405

Only available in White

## CONVEX 16mm



### DESCRIPTION

### CODE

200mm x 5m	GDFVW
------------	-------

Only available in White

## CONCAVE 16mm



### DESCRIPTION

### CODE

200mm x 5m	GDFCW
------------	-------

Only available in White



# FASCIAS

## OGEE 16mm




### DESCRIPTION


### CODE

150mm x 5m	GOF150
175mm x 5m	GOF175
200mm x 5m	GOF200
225mm x 5m	GOF225
250mm x 5m	GOF250
300mm x 5m	GOF405


### Plain Colours



### Foiled Colours



## OGEE CAP OVER 9mm



### DESCRIPTION

### CODE

150mm x 5m	GGF150
175mm x 5m	GGF175
200mm x 5m	GGF200
225mm x 5m	GGF225
250mm x 5m	GGF250
405mm x 5m	GGF405

Only available in White



## SQUARE CAP OVER 9mm



### DESCRIPTION


### CODE

100mm x 5m	GRC095
125mm x 5m	GRC125
150mm x 5m	GRC150
175mm x 5m	GRC175
200mm x 5m	GRC200
225mm x 5m	GRC225
250mm x 5m	GRC250
300mm x 5m	GRC300
400mm x 5m	GRC400
405mm x 5m	GRC405
450mm x 5m	GRC450
605mm x 5m	GRC605

### Plain Colours



### Foiled Colours



# SOFFITS

## SOLID SOFFIT



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
100mm x 5m	GMB100	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
125mm x 5m	GMB125	<input type="checkbox"/>													
150mm x 5m	GMB150	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
175mm x 5m	GMB175	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
200mm x 5m	GMB200	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
225mm x 5m	GMB225	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
250mm x 5m	GMB250	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
300mm x 5m	GMB300	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
330mm x 5m	GMB330	<input type="checkbox"/>													
350mm x 5m	GMB350	<input type="checkbox"/>													
400mm x 5m	GMB400		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
405mm x 5m	GMB405	<input type="checkbox"/>		<input checked="" type="checkbox"/>											
450mm x 5m	GMB450	<input type="checkbox"/>													
500mm x 5m	GMB500	<input type="checkbox"/>													
605mm x 5m	GMB605	<input type="checkbox"/>													

## VENTED SOFFIT 9mm (10mm CONTINUOUS AIR FLOW)



Double Vented Soffit Board  
available on request

DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
100mm x 5m	GVB100	<input type="checkbox"/>													
150mm x 5m	GVB150	<input type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
175mm x 5m	GVB175	<input type="checkbox"/>													
200mm x 5m	GVB200	<input type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
225mm x 5m	GVB225	<input type="checkbox"/>													
250mm x 5m	GVB250	<input type="checkbox"/>													
300mm x 5m	GVB300	<input type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
330mm x 5m	GVB330	<input type="checkbox"/>													
405mm x 5m	GVB405	<input type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
450mm x 5m	GVB450	<input type="checkbox"/>													
500mm x 5m	GVB500	<input type="checkbox"/>													
605mm x 5m	GVB605	<input type="checkbox"/>													

SOFFITS

HOLLOW SOFFIT



Not to be used as a cladding



DESCRIPTION	CODE	Plain Colours					Foiled Colours									
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW	
300mm x 5m	GHC300															

J TRIM FOR HOLLOW SOFFIT



DESCRIPTION	CODE	Plain Colours					Foiled Colours									
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW	
5m	GJT															

H TRIM FOR HOLLOW SOFFIT



DESCRIPTION	CODE	Plain Colours					Foiled Colours									
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW	
5m	GHS															

# CORNERS & JOINTS

## DOUBLE ENDED EXTERNAL FASCIA CORNER



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
Square 500mm	GSC500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Square 500mm	GFC600	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Bullnose 500mm	GBC500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 500mm (Ogee cap over)	GOC500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 500mm (Full replacement fascia)	GOF500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Square 300mm (135°)	G135RC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 300mm fascia Corner (135°)	G135OFC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## DOUBLE ENDED INTERNAL FASCIA CORNER



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
Square 500mm	GISC500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Bullnose 500mm	GIBC500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 500mm	GIOFC500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 300mm (Ogee cap over)	GIOC300	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Square 300mm (135°)	G1135RC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## SINGLE ENDED FASCIA CORNER



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
Square 300mm	GRC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 300mm (Ogee cap over)	GOC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 300mm (Full replacement fascia)	GOF500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



# CORNERS & JOINTS
























## DOUBLE ENDED FASCIA JOINT



DESCRIPTION	CODE	W	PB	CX70	BL	AG	DG	SG	AGAT	R	IO	LO	CR	CG	FW
Square 500mm	GSJ500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Square 500mm	GFJ600				<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
Bullnose 500mm	GBJ500	<input type="checkbox"/>													
Ogee 500mm (Ogee cap over)	GOJ500	<input type="checkbox"/>													
Ogee 500mm (Full replacement fascia)	GOFJ500	<input type="checkbox"/>													

## SINGLE ENDED FASCIA JOINT




JOINT		Plain Colours					Foiled Colours									
																
DESCRIPTION	CODE	W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW	
Square 300mm	GRJ															
Ogee 300mm (Ogee cap over)	GOJ															
Ogee 300mm (Full replacement fascia)	GOFJ															

## FELT ROOF EDGE TRIM

























DESCRIPTION	CODE
5m	GFRE



Only available in White

## FASCIAS END CAP



		Plain Colours					Foiled Colours								
DESCRIPTION	CODE														
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
Square 300mm	GREC														
Square 300mm	GFEC														

# COLOURS & EXTRAS

## 3D SPIRE / FLAT BACK SPIRE



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
910mm (3D)	G3DS	<input type="checkbox"/>			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
910mm (Flat)	GFBS	<input type="checkbox"/>			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			

## GABLE FINIAL



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
350mm	GFIN	<input type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			

## COLOUR KEY FOR FASCIAS, SOFFITS, CORNERS, JOINTS, & EXTRAS

Plain Colours							
<b>W</b>	<b>PB</b>	<b>CX7016</b>	<b>BL</b>	<b>AG</b>	<b>DG</b>	<b>SG</b>	
White	Plain Black	Plain Grey	Black (RAL 8022 - Grained)	Anthracite Grey (RAL 7016 - Grained)	Dark Grey (RAL 7016 - Smooth)	Slate Grey (RAL 7015 - Smooth)	
<b>AGATE</b>	<b>R</b>	<b>IO</b>	<b>LO</b>	<b>CR</b>	<b>CG</b>	<b>FW</b>	
Agate Grey (RAL 7038 - Grained)	Rosewood (RAL 8017 - Grained)	Irish Oak (RAL 1011 - Grained)	Light Oak (RAL 8033 - Grained)	Cream (RAL 9001 - Grained)	Chartwell Green (Grained)	Foiled White (Grained)	

To find out what Roofline products we offer in Wine Red, Royal Blue or Rustic Green please visit our website.



# VENTILATION

## CIRCULAR VENT



DESCRIPTION	CODE	W	BL	DG	B	T
70mm	GCV					



## SOFFIT VENT STRIP



DESCRIPTION	CODE	W	BL	DG	B	T
70mm	GSV					

## JUMBO VENT (10mm AIR FLOW)



DESCRIPTION	CODE
1m	C401

## OVER FASCIA PROTECTION EAVES PROTECTOR



DESCRIPTION	CODE
1.5m	C400

## JUMBO VENT COMBED (10mm AIR FLOW)



DESCRIPTION	CODE
1m	C402

## OVER FASCIA VENTILATOR



DESCRIPTION	CODE
1m (10mm air flow)	G1200N
1m (25mm air flow)	G2500N


## BIRD COMB FILLER



DESCRIPTION	CODE
1m	BC



## COLOUR KEY FOR VENTILATION



W

White



BL

Black



DG

Dark Grey



B

Brown



T

Tan

# UNIVERSAL DRY VERGE



## FEATURES

- Not handed
- Quick and easy to install with a dry fit
- Universal, will fit on to any tile
- Secure fit to reduce tile vulnerability in high winds

## UNIVERSAL DRY VERGE COLOURS



**BL**

Black



**B**

Brown



**G**

Grey



**T**

Terracotta

## DRY VERGE



**CODE**

ETUV

## STARTER & END CAP



**CODE**

ETSK

## RIDGE HALF ROUND CAP



**CODE**

ETHRC

## RIDGE ANGLED CAP



**CODE**

ETAC



# CONTINUOUS DRY VERGE



FEATURES

- Continuous cover against water penetration
- All-weather fixing
- Does not require undercloak, special tools, or adhesives
- Suitable for a large range of roof tiles / slates

CONTINUOUS DRY VERGE COLOURS

W

White


B

Black

AG


Anthracite Grey

TYPE D (FOR CONCRETE TILES)




DESCRIPTION	CODE
5m Black, Type D	DVD
Connector	DVDC

TYPE M (FOR CONCRETE TILES)




DESCRIPTION	CODE
5m Black, Type M	DVM
Connector	DVMC

TYPE S (FOR SLATE)



DESCRIPTION	CODE
5m Black, Type S	DVS
Connector	DVSC

RIDGE END CAPS



CODE
DVREC

# CONTEMPORARY CLADDING SYSTEM




## FEATURES

- PVC-U cladding
- Aluminium trims
- Strong and rigid
- Neater and sharper finish
- Maintenance free

## LAP CLADDING

167mm coverage. 5m


GLC167



## CLOSED V CLADDING

110mm coverage. 5m



GCV110



# ALUMINIUM TRIMS

STARTER TRIM		2 PART U-CHANNEL		2 PART CORNER TRIM	
					
DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE
5m	GCCAST500	3m	CGGAUC300	3m	GCCACT300
We recommend cutting the aluminium trims using a chop saw with a sharp blade.					

## FINISHING KIT

Top Cap	
	
Bottom Cover	
	
DESCRIPTION	CODE
2 of each	GCCFK



RECOMMENDED FIXINGS
Cladding: Cladding pins
Aluminium trims: Stainless steel screws

COLOURS FOR CLADDING, TRIMS & ACCESSORIES		
		
W	DG	SG
White	Dark Grey	Slate Grey

# CLADDING

## SHIPLAP CLADDING



DESCRIPTION

CODE

150mm x 5m

GSL150

Plain Colours



W

PB

CX7016

BL

AG

DG

SG

AGATE

R

IO

LO

CR

CG

FW

Foiled Colours



## OPEN V GROOVE CLADDING



DESCRIPTION

CODE

150mm x 5m

GOV100

Plain Colours



W

PB

CX7016

BL

AG

DG

SG

AGATE

R

IO

LO

CR


CG

FW

Foiled Colours



## 2 PART UNIVERSAL TRIM



DESCRIPTION

CODE

5m

G2UC

Only available in White

## UNIVERSAL STARTER TRIM



DESCRIPTION

CODE

5m

GUS

Only available in White

## U CHANNEL



DESCRIPTION

CODE

150mm x 5m

GUC

Plain Colours



W

PB

CX7016

BL

AG

DG

SG

AGATE

R

IO

LO

CR

CG

FW

Foiled Colours





# CLADDING

## CENTRE JOINT TRIM



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
5m	GCJ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## INDIVIDUAL CLADDING JOINT COVERS



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
150mm Shiplap	GSJ150	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
100m V Groove	GVJ100	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## 2 PART EXTERNAL CORNER



DESCRIPTION	CODE	Plain Colours							Foiled Colours						
		W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
5m	G2EC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5m	G2ECCHG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## COLOUR KEY FOR CLADDING

Plain Colours						
						
W White	PB Plain Black	CX7016 Plain Grey	BL Black (RAL 8022 - Grained)	AG Anthracite Grey (RAL 7016 - Grained)	DG Dark Grey (RAL 7016 - Smooth)	SG Slate Grey (RAL 7015 - Smooth)
						
AGATE Agate Grey (RAL 7038 - Grained)	R Rosewood (RAL 8017 - Grained)	IO Irish Oak (RAL 1011 - Grained)	LO Light Oak (RAL 8033 - Grained)	CR Cream (RAL 9001 - Grained)	CG Chartwell Green (Grained)	FW Foiled White (Grained)

To find out what Cladding products we offer in Wine Red, Royal Blue or Rustic Green please visit our website.

# EMBOSSSED

## CLADDING

### FEATURES

- Low maintenance
- Easy installation
- Extremely durable
- Impact resistant
- Insulation
- Available in various colours
- Natural look


## COLOUR OPTIONS



**W**  
WHITE  
(RAL 9010)




**C**  
CREAM  
(RAL 9001)



**S**  
SAND  
(RAL 1015)



**G**  
LIGHT GREY  
(RAL 7035)



**CAM**  
CAMEL  
(RAL 1001)



**DG**  
ANTHRACITE  
(RAL 7016)



**NEW**  
**QG**  
QUARTZ GREY  
(RAL 7039)



**NEW**  
**BLG**  
BLUE GREY  
(RAL 7031)

# EMBOSED

## TRIMS & FIXINGS

### DOUBLE SIDING




DESCRIPTION	CODE
167mm x 5m	GEC167
333mm x 5m	GEC333

### 2 PART INTERNAL-EXTERNAL CORNER (3m)



DESCRIPTION	CODE
Plastic	G2ECC
Quartz Grey	G2AECCQG/3M
Blue Grey	G2AECCBLG/3M
Quartz Grey & Blue Grey only available in aluminium	

### CORNER PROFILE (3m)



DESCRIPTION	CODE
Plastic	GECCP
Quartz Grey	GAECCPQG/3M
Blue Grey	GAECCPBLG/3M
Quartz Grey & Blue Grey only available in aluminium	

### 2 PART EDGE TRIM (3m)



DESCRIPTION	CODE
Plastic	G2ET
Quartz Grey	G2AETQG/3M
Blue Grey	G2AETBLG/3M
Quartz Grey & Blue Grey only available in aluminium	

### STANDARD JOINER PIECE (DOUBLE)



DESCRIPTION	CODE
167mm x 5m	GECJC167
333mm x 5m	GECJ

### STARTING PROFILE




DESCRIPTION	CODE
3m	GECSP
Only available in Black	

### CONCEALED COVER



DESCRIPTION	CODE
167mm x 5m	GECIJ167
333mm x 5m	GECIJ

### VENTILATION PROFILE



DESCRIPTION	CODE
2.5m	GECVP
Only available in Black	

NEW

# FORESTA

## CLADDING

### FEATURES

- V Groove finish
- Woodgrain texture
- Digitally printed finish
- Extremely durable
- Suitable for horizontal or vertical Install
- Available in various colours
- Perfect for garden rooms

## COLOUR OPTIONS



**WO**  
WOODLAND OAK  
(RAL 8008)



**RC**  
RED CEDAR  
(RAL 8003)



**AP**  
AFRICAN PADAUK  
(RAL 7006)



**SL**  
SIBERIAN LARCH  
(RAL 8003)



**BG**  
BARNWOOD GREY  
(RAL 1019)



**SO**  
SHEFFIELD OAK  
(RAL 1015)



**GC**  
GREY CEDAR  
(RAL 7006)



**WGR**  
WOODLAND GREY  
(RAL 7006)

# FORESTA

## TRIMS & FIXINGS

### SIDING WITH V-GROOVE




DESCRIPTION	CODE
250mm x 5m	PEMFOR-

### 2 PART LACQUERED ALUMINIUM INT/EXT CORNER




DESCRIPTION	CODE
3m	PSLC2A-

### LACQUERED ALUMINIUM CORNER PROFILE



DESCRIPTION	CODE
3m	PSLAA-

### 2 PART LACQUERED ALUMINIUM EDGE TRIM



DESCRIPTION	CODE
3m	PSLTEA-

### CONCEALED COVER



DESCRIPTION	CODE
250mm x 5m	PSLBJIV250-

### STARTER TRIM



DESCRIPTION	CODE
3m	GECSP
Only available in Black	

### VENTILATION PROFILE



DESCRIPTION	CODE
2.5m	GECVP
Only available in Black	

### PLEASE NOTE:

FOR GREY CEDAR OR  
WOODLAND GREY TRIMS  
PLEASE USE  
AFRICAN PADAUK



# TUDOR BOARD



A

## TUDOR BOARD 2 FOILED EDGES (20mm)

DESCRIPTION	CODE	BL	R	LO	DG	AG	SG
150mm x 5m	GTB150	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

B


## TUDOR BACKING BOARD (MATT WHITE)

DESCRIPTION	CODE	FW	BG
2440 x 1220 x 3mm	24/12/3	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2440 x 1220 x 4mm	24/12/4	<input type="checkbox"/>	<input type="checkbox"/>
2440 x 1220 x 5mm	24/12/5	<input type="checkbox"/>	<input type="checkbox"/>
2440 x 1220 x 6mm	24/12/6	<input type="checkbox"/>	<input type="checkbox"/>
2440 x 1220 x 10mm	24/12/10	<input type="checkbox"/>	<input type="checkbox"/>


### FEATURES

- Made of PVC-U.
- Easy to install.
- Foiled on 3 edges.
- Perfect replacement to timber beams.
- Cut using a PVC handsaw.
- Use FixALL to apply and suitable screws to face fix.
- Seal all edges using a clear silicone to avoid moisture ingress.

### COLOURS FOR FOILED EDGES & BACKING BOARDS



Black




Rosewood



Light Oak




Dark Grey



Anthraite



Slate Grey



Matt White



Beige

# NAILED ON

LOW TRADE PRICES ON

# NAILS & SCREWS

See page 144



# HOMELINE

ROOFLINE.

SUITABLE FOR  
MATCHING UP TO  
ALUMINIUM WINDOWS  
AND DOORS



Plain Black (PB)

Plain Grey (CX7016)


## COLOUR SPECIALISTS

# PLAIN COLOURS

## NOW AVAILABLE

# SQUARE RAINWATER SYSTEM

## GUTTER LENGTH



DESCRIPTION	CODE
-------------	------

4m Square	RGS4
-----------	------

W	BL	BR	A
---	----	----	---

## UNION BRACKET



DESCRIPTION	CODE
-------------	------

Square	RUS1
--------	------

W	BL	BR	A
---	----	----	---

## RUNNING OUTLET



DESCRIPTION	CODE
-------------	------

Square	ROS1
--------	------

W	BL	BR	A
---	----	----	---

## STOP END OUTLET



DESCRIPTION	CODE
-------------	------

Square	ROS2
--------	------

W	BL	BR	A
---	----	----	---

## STOP END EXTERNAL



DESCRIPTION	CODE
-------------	------

Square	RES1
--------	------

W	BL	BR	A
---	----	----	---

## STOP END INTERNAL



DESCRIPTION	CODE
-------------	------

Square	RES2
--------	------

W	BL	BR	A
---	----	----	---

## ANGLE



DESCRIPTION	CODE
-------------	------

90°	RAS1
135°	RAS2

W	BL	BR	A
---	----	----	---

## ADJUSTABLE ANGLE



DESCRIPTION	CODE
-------------	------

50°-156°	RAS3
Any degree to Order	RAS9

W	BL	BR
---	----	----

## FASCIA BRACKET



DESCRIPTION	CODE
-------------	------

Square	RKS1
--------	------

W	BL	BR	A
---	----	----	---

## GUTTER ADAPTOR



DESCRIPTION	CODE
-------------	------

Square / Round	RDS1
----------------	------

W	BL	BR
---	----	----



# SQUARE RAINWATER SYSTEM

## DOWNPIPE



DESCRIPTION	CODE
2.5m Square	RPS25
4.0m Square	RPS4
5.5m Square	RPS55

W BL BR A

## OFFSET BEND



DESCRIPTION	CODE
92.5° Square	RBS1
112.5° Square	RBS2

W BL BR A

## ADJUSTABLE OFFSET



DESCRIPTION	CODE
Square	RBS5

W BL BR

## SHOE



DESCRIPTION	CODE
Square	RBS3

W BL BR A

## BRANCH



DESCRIPTION	CODE
67.5° Square	RYS1

W BL BR A

## DOWNPIPE ADAPTOR



DESCRIPTION	CODE
Square / Round	RDS2

W BL BR A

## PIPE SOCKET



DESCRIPTION	CODE
Square	RSS1

W BL BR A

## ACCESS PIPE



DESCRIPTION	CODE
Square	RXS1

W BL BR G A

## PIPE CLIP



DESCRIPTION	CODE
Standard (Square)	RCS1

W BL BR A

## FLUSH PIPE CLIP



DESCRIPTION	CODE
Flush (Square)	RCS2

W BL BR A

## HOPPER




DESCRIPTION	CODE
Square / Round	RHS1

W BL BR G A



# ROUND RAINWATER SYSTEM

## GUTTER LENGTH



DESCRIPTION	CODE
4m Round	RG4

W BL BR G A

## UNION BRACKET



DESCRIPTION	CODE
Round	RU1

W BL BR G A

## RUNNING OUTLET



DESCRIPTION	CODE
Round	RO1

W BL BR G A

## STOP END OUTLET



DESCRIPTION	CODE
Round	RO2

W BL BR G

## STOP END EXTERNAL



DESCRIPTION	CODE
Round	RE1

W BL BR G A

## STOP END INTERNAL



DESCRIPTION	CODE
Round	RE2

W BL BR G A

## ANGLE



DESCRIPTION	CODE
90°	RA1
135°	RA2

W BL BR G A

## ADJUSTABLE ANGLE



DESCRIPTION	CODE
50°-156°	RA3

W BL BR



## FASCIA BRACKET



DESCRIPTION	CODE
Round	RK1

W BL BR G A

# ROUND RAINWATER SYSTEM

## DOWNPIPE



DESCRIPTION	CODE
2.5m Round	RP25
4.0m Round	RP4
5.5m Round	RP55



## OFFSET BEND



DESCRIPTION	CODE
92.5° Round	RB1
112.5° Round	RB2



## SHOE



DESCRIPTION	CODE
Round	RB3



## BRANCH



DESCRIPTION	CODE
67.5° Round	RY1



## PIPE SOCKET



DESCRIPTION	CODE
Round	RS1



## ACCESS PIPE



DESCRIPTION	CODE
Round	RX1



## PIPE CLIP




DESCRIPTION	CODE
Round	RC1



# OGEE RAINWATER SYSTEM

## GUTTER LENGTH



DESCRIPTION	CODE
-------------	------

4m Ogee	RGN4
---------	------

W	BL	BR	A
---	----	----	---

## UNION BRACKET



DESCRIPTION	CODE
-------------	------

Ogee	RUN1
------	------

W	BL	BR	A
---	----	----	---

## RUNNING OUTLET



DESCRIPTION	CODE
-------------	------

Ogee	RON1
------	------

W	BL	BR	A
---	----	----	---

## STOP END OUTLET



DESCRIPTION	CODE
-------------	------

Ogee (RH)	RON3
Ogee (LH)	RON2

W	BL	BR	A
---	----	----	---

## STOP END EXTERNAL



DESCRIPTION	CODE
-------------	------

Ogee (RH)	REN2
Ogee (LH)	REN1

W	BL	BR	A
---	----	----	---

## STOP END INTERNAL



DESCRIPTION	CODE
-------------	------

Ogee (RH)	REN4
Ogee (LH)	REN3

W	BL	BR
---	----	----

## ANGLE EXTERNAL



DESCRIPTION	CODE
-------------	------

90°	RAN2
135°	RAN4
Any degree to Order*	RAN9

W	BL	BR	A
---	----	----	---

\*not available in Anthracite

## ANGLE INTERNAL



DESCRIPTION	CODE
-------------	------

90°	RAN1
135°	RAN3
Any degree to Order*	RAN9

W	BL	BR	A
---	----	----	---

\*not available in Anthracite

## FASCIA BRACKET



DESCRIPTION	CODE
-------------	------

Ogee	RKN1
------	------

W	BL	BR	A
---	----	----	---

## TOP HUNG BRACKETS



DESCRIPTION	CODE
-------------	------

Ogee	RKN2
------	------

W	BL	BR
---	----	----

## GUTTER ADAPTOR R



DESCRIPTION	CODE
-------------	------

(RH) Ogee / Round	RNR3
(LH) Ogee / Round	RNR4

W	BL	BR
---	----	----

## GUTTER ADAPTOR S



DESCRIPTION	CODE
-------------	------

(RH) Ogee / Square	RNS3
(LH) Ogee / Square	RNS4

W	BL	BR
---	----	----



# HI CAP RAINWATER SYSTEM

## GUTTER LENGTH



DESCRIPTION	CODE
4m Hi Cap	RGH4

W	BL	BR	G	A
---	----	----	---	---

## UNION BRACKET



DESCRIPTION	CODE
Hi Cap	RUH1

W	BL	BR	G	A
---	----	----	---	---

## FLOATING UNION



DESCRIPTION	CODE
Hi Cap (inc. bracket)	RUH2

W	BL
---	----

## RUNNING OUTLET



DESCRIPTION	CODE
Hi Cap	ROH1

W	BL	BR	G	A
---	----	----	---	---

## STOP END EXTERNAL



DESCRIPTION	CODE
Hi Cap	REH1

W	BL	BR	G	A
---	----	----	---	---

## STOP END INTERNAL



DESCRIPTION	CODE
Hi Cap	REH2

W	BL	BR	G	A
---	----	----	---	---

## ANGLE



DESCRIPTION	CODE
90°	RAH1
135°	RAH2
Any degree to order	RAH9

W	BL	BR	G	A
---	----	----	---	---

## FASCIA BRACKET



DESCRIPTION	CODE
Hi Cap	RKH1

W	BL	BR	G	A
---	----	----	---	---

## TOP HUNG BRACKETS



DESCRIPTION	CODE
Hi Cap	RKH2

W	BL
---	----

## GUTTER ADAPTOR R



DESCRIPTION	CODE
Hi Cap / Round	RHR3

W	BL	BR
---	----	----

## GUTTER ADAPTOR S



DESCRIPTION	CODE
Hi Cap / Square	RHS3

W	BL	BR
---	----	----



# CAST IRON RAINWATER SYSTEM

## GUTTER LENGTH



DESCRIPTION	CODE
4m Round	RG4CI

## UNION BRACKET



DESCRIPTION	CODE
Round	RU1CI

## RUNNING OUTLET



DESCRIPTION	CODE
Round	RO1CI

## STOP END OUTLET



DESCRIPTION	CODE
Round	RO2CI

## STOP END EXTERNAL



DESCRIPTION	CODE
Round	RE1CI

## STOP END INTERNAL



DESCRIPTION	CODE
Round	RE2CI

## ANGLE 90°



DESCRIPTION	CODE
90°	RA1CI

## ANGLE 135°



DESCRIPTION	CODE
135°	RA2CI

## GUTTER ADAPTOR O



DESCRIPTION	CODE
(RH) Ogee/Square	RD3CI
(LH) Ogee/Square	RD4CI

## GUTTER ADAPTOR R



DESCRIPTION	CODE
Round	RD5CI

## FASCIA BRACKET



DESCRIPTION	CODE
Round	RK1CI

## HOPPER



DESCRIPTION	CODE
Universal	RH1CI

# CAST IRON RAINWATER SYSTEM

## DOWNPIPE



DESCRIPTION	CODE
2.5m Round	RP25CI

## OFFSET BEND



DESCRIPTION	CODE
112.5° Round	RB6CI

## SHOE



DESCRIPTION	CODE
Round (fixing lugs)	RB4CI

## BRANCH



DESCRIPTION	CODE
67.5° Round	RY1CI

## PIPE SOCKET



DESCRIPTION	CODE
Round (fixing lugs)	RS2CI

## ACCESS PIPE



DESCRIPTION	CODE
Round	RX1CI

## DOWNPIPE ADAPTOR



DESCRIPTION	CODE
Square / Round	RDS2CI

## PIPE CLIP



DESCRIPTION	CODE
Round	RC4CI



# CAST IRON


# GUTTERING

ALSO AVAILABLE IN

# OGEE

# RAINWATER COLOURS & ACCESSORIES

## COLOUR KEY FOR RAINWATER SYSTEMS



White



Black



Brown



Grey



Anthracite Grey



Cast Iron

### DOWNPIPE RAINWATER DIVERTER



DESCRIPTION	CODE
Square/Round	RVS1

W	BL	BR	G	A
---	----	----	---	---

### BALLOON OUTLET GUARD



DESCRIPTION	CODE
Leaf protection system	192000

Leaf protection system

### GUTTER BRUSH



DESCRIPTION	CODE
4m	GM4

4m



GUTTER BRUSH

### SNOW / TILE GUARD



DESCRIPTION	CODE
2m	SG1G
Bracket	SG2G

2m

Bracket



SNOW GUARD

### DRAIN GUARD



DESCRIPTION	CODE
305 X 300mm	D192001

305 X 300mm

D192001

### SILICONE LUBRICANT SPRAY



DESCRIPTION	CODE
400ml (Lubricant)	SL400

400ml (Lubricant)

SL400

### SOLVENT CEMENT



DESCRIPTION	CODE
125ml (Cement)	SC125

125ml (Cement)

SC125

### GUTTER GUARD



DESCRIPTION	CODE
5m pack	451000

5m pack

451000



GUTTER GUARD

**FOILED SPECIALISTS**

**HUGE**  
**STOCKS**  
A V A I L A B L E

GRAB A BROCHURE TO SEE THE FULL RANGE



ROCK  
DOOR<sup>®</sup>





# ROCKDOOR

Door Styles .....40

3D Door Designer .....46

# DOOR STYLES



## FEATURES

- Thermally efficient composite doors
- S-Glaze technology
- 50mm thick door sash
- 3mm high impact door skins
- 'Sold secure' 3 star locking cylinders
- Secure multipoint locking system
- German engineered 3D adjustable hinges

**MANHATTAN**



**ANTHRACITE GREY**  
Curve Glass Design

**JACOBAN**



**AGATE GREY**  
Border Glass Design

**TENNESSEE**



**WHITE**  
Summit Glass Design

# DOOR STYLES

## VERMONT



**AGATE GREY**  
Continuity Glass Design

## KENTUCKY



**SLATE GREY**  
Summit Glass Design

## NEWARK



**BLACK**  
Iris Glass Design

## VOGUE



**AGATE GREY**  
Cube Glass Design

## WINDSOR



**IRISH OAK**  
Rectangular Leading Glass Design

## ARCACIA



**AGATE GREY**  
Crystal Bevel Glass Design

# DOOR STYLES

ILLINOIS



**EMERALD GREEN**  
Trinity Glass Design

DAKOTA



**BLACK**  
Solid

INDIANA



**IRISH OAK**  
Solid

PORTLAND



**RUBY RED**  
Beacon Glass Design

GEORGIA



**LIGHT OAK**  
Northern Star Glass Design

MONTANA



**ROSEWOOD**  
Renaissance Glass Design

# DOOR STYLES

## REGENCY



**ANTHRACITE GREY**  
Clear Glass Design

## COLONIAL



**WHITE**  
Solid

## CLASSIC



**SLATE GREY**  
Misted Glass Design

## DUNE RETREAT



**WHITE**  
Clear Glass Design

## DUNE VISION



**BLACK**  
Reeded Glass Design

## ASPEN



**IRISH OAK**  
Misted Glass Design

# DOOR STYLES

ENGLISH COTTAGE



**SLATE GREY**  
Rectangular Leading Glass Design

STABLE SPY VIEW



**CHARTWELL GREEN**  
Clear Glass Design

STABLE VIEW LIGHT



**CREAM**  
Misted Glass Design

CAROLINA



**EMERALD GREEN**  
Clear Glass Design

COTTAGE SPY VIEW



**IRISH OAK**  
Misted Glass Design

COTTAGE VIEW LIGHT



**WHITE**  
Misted Glass Design



# DOOR STYLES

## FRENCH DOORS



**SLATE GREY**  
Misted Glass Design

## DOUBLE DOORS



**AGATE GREY**  
Cube Glass Design


TO VIEW OUR FULL RANGE PICK UP A BROCHURE FROM YOUR LOCAL DEPOT



Stable View Light




Check out our stunning 3D door designer on  
[Rockdoor.com/design-your-door](https://Rockdoor.com/design-your-door)




### Core Benefits

Rockdoor's inner strength is unsurpassed thanks to a combination of safety features.



### £2,000 Guarantee


Burglar proof looking cylinders.  
 A TS007 3 star rating, SS 312 Sold  
 Secure Diamond Standard.



### Forced Entry

Designed to ensure homes and families are fully protected from forced entry.

# The Ultimate Sales Tool



## Hook up with Rockdoor

Strong steel sintered steel multi point hook locks, with a 25mm throw.



## Glass Leading Security

S Glaze technology, meaning your glass is locked into your door for life.



## Stronger, It's Official

Rockdoor is 35% stronger than a typical GRP door.

# HOMEFRAME

WINDOWS.







## WINDOWS & **ANCILLARIES**

Features & Benefits	50
Window Styles	52
Window Trims	56
Window Boards	58

# REHAU SPECIALISTS

## FOR WINDOWS & DOORS



GAP have been fabricating PVC-U windows and doors for many years from a high tech manufacturing facility in Lancashire.

We specialise in the widely respected Rehau profile, as this complements our Rockdoor and HomeFrame GRP composite doors.

All windows are made to exacting standards by highly trained PVC-U fabricators and technicians.

# HOMEFRAME

WINDOWS.

### FEATURES

- PVC-U casements, flush fit, tilt & turn, sliding and french doors
- In-house manufacturing to UKCA standards
- Rehau PVC-U profile specialists
- Outer profiles match HomeFrame GRP doors and Rockdoor





## QUICK QUOTE & ORDER

- Hassle-free quotations from sales office and depots
- Huge choice of colours, configurations and furniture
- Glass options to cover toughening, obscurity, blinds in glass and thermal performance
- 2 hour cooling off period from point of order
- Competitive trade prices



## COLLECTION OR DELIVERY

Customers can conveniently collect window deliveries from our depots, we can deliver direct to site. Customers can also collect, or get delivered, all installation essentials too such as silicone, trims and fixings.

## RESPECTED TRADE BRANDS ALSO AVAILABLE

We don't just manufacture a wide range of windows, we also work with trusted 3<sup>rd</sup> party providers for specialist products from vertical sliders to the increasingly popular aluminium internal doors. Please speak to your depot teams or local sales managers for help and support in quoting any specialist jobs you may require.

**Evaframe**

**stern**fenster

**EMPLAS**

**origin**



# CASEMENT



## WINDOWS

### FEATURES

Whether replacing a full house of windows, completing a new build property, or smaller replacement jobs, our 70mm casement window systems are easy to install and come with a range of glazing and ventilation options to help you meet building regulations.



### OPTIONS



Huge number of configurations available

**70mm SYSTEM - THERMALLY EFFICIENT - LARGE RANGE OF COLOURS**




# FLUSH FIT

## WINDOWS

### FEATURES

These windows, made using the Rio flush fit system from Rehau, are the perfect addition to any home looking to achieve either a timber or aluminium style finish.

### OPTIONS



**TIMBER & ALI LOOK - THERMALLY EFFICIENT - CLEAN LOOK**






# TILT & TURN WINDOWS

## FEATURES

A simple concept, yet cleverly constructed. Our PVC-Tilt & Turn windows are designed to open both vertically and horizontally to provide versatility for the user. Available in a variety of different styles to suit all properties.

### VERSATILE OPTION




# SLIDING WINDOWS

## FEATURES

PVC-Sliding windows can provide either a period feature window using Georgian bars, or as feature windows on new build properties for stunning aesthetics.

### PERIOD CHARM




# FRENCH DOORS

## FEATURES

Simple, effective and yet still a hugely popular solution to open up living spaces into gardens and patios.

## COST EFFECTIVE




# ALUMINIUM WINDOWS/DOORS

## FEATURES

GAP provide a wide range of aluminium windows and doors to the trade. These include standard aluminium windows and external doors, through to the increasingly popular aluminium internal doors as shown in the picture.

## HUGE CHOICE



# WINDOW TRIMS

## EDGE FILLET (20mm)



DESCRIPTION	CODE	W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
20mm x 5m	GEF020	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## D SECTION (25mm)



DESCRIPTION	CODE	W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
25mm x 5m	GDS025	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## ARCHITRAVE (6mm)



DESCRIPTION	CODE	W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
40mm x 4m	GCA050	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60mm x 5m	GCA070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
90mm x 5m	GCA100	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## RECTANGLES



DESCRIPTION	CODE	W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
15 x 13mm x 5m	GRE015	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22 x 20mm x 5m	GRE025	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30 x 25mm x 5m	GRE030	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## ANGLES FLEXI



DESCRIPTION	CODE	W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
25 X 25mm x 5m	GF050	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
35 x 35mm x 5m	GF075	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
50 x 50mm x 5m	GF100	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Foils recommended for internal angles only



# WINDOW TRIMS

## ANGLES RIGID



DESCRIPTION	CODE	W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
25 x 25mm x 5m	GA025	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
50 x 50mm x 5m	GAG050	<input type="checkbox"/>											
80 x 80mm x 5m	GA080	<input type="checkbox"/>											
100 x 80mm x 5m	GA180	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			

## QUADRANT



DESCRIPTION	CODE	W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
12 x 5m	GQU012	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
19 x 5m	GQU019	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## BATTEN COVER




DESCRIPTION	CODE
30mm	GB30

Only available in White



## COLOUR KEY FOR WINDOW TRIMS



White



Black  
(Grained)



Anthracite Grey  
(Grained)



Dark Grey  
(Smooth)



Slate Grey  
(Smooth)




Agate Grey  
(Grained)



Rosewood  
(Grained)



Irish Oak  
(Grained)



Light Oak  
(Grained)



Cream  
(Grained)




Chartwell Green  
(Grained)



Foiled White  
(Grained)

# WINDOW BOARDS & SKIRTING BOARDS

## WINDOW BOARD



### DESCRIPTION

### CODE

W LO R

160mm x 5m

GWB150

☐

180mm x 5m

GWB175

☐

☒

☒

210mm x 5m

GWB200

☐

240mm x 5m

GWB225

☐

☒

☒

260mm x 5m

GWB250

☐

310mm x 5m

GWB300

☐

405mm x 5m

GWB405

☐

☒

☒

## WINDOW BOARD CHANNEL



### DESCRIPTION

### CODE

W LO R

5m

GWBC

☐

☒

## WINDOW BOARD END CAP



### DESCRIPTION

### CODE

W LO R

300mm

GWBLEC

☐

300mm

GWEC

☒

☒

## SKIRTING BOARD & ARCHITRAVE



### DESCRIPTION

### CODE

W GO NO R

MDF 120mm x 4.2m

GBS120

☐

☒

☒

☒

MDF 70mm x 4.2m

GBA070

☐

☒

☒


☒

PVC 95mm Ogee


GSK095

☐

## COLOUR KEY FOR WINDOW BOARDS




White



Light Oak



Rosewood




White



Golden Oak



Natural Oak



Rosewood

## COLOUR KEY FOR SKIRTING BOARD

# BETTABOARD

## BETTABOARD



DESCRIPTION	CODE	W	GO	NO	R	T
150 x 22mm x 5m	GBB150	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
180 x 22mm x 5m	GBB180	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
200 x 22mm x 5m	GBB200	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
225 x 22mm x 5m	GBB225	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
250 x 22mm x 5m	GBB250	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
300 x 22mm x 5m	GBB300	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
600 x 22mm x 5m	G5BB600	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
600 x 22mm x 5m	G4BB600	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
900 x 22mm x 5m	G4BB900	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
500 x 22mm x 5m	GBB500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
600 x 22mm x 5m	GBB600	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
900 x 22mm x 5m	GBB900	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## BETTABOARD END CAP



DESCRIPTION	CODE	W	GO	NO	R	T
Solid Colour	GBBEC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Foiled Colour	FGBBEC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## BETTABOARD MITRE JOINTS



DESCRIPTION	CODE	W	GO	NO	R	T
Internal Solid Colour	GBBJ	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Internal Foiled Colour	FGBBJ	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
External Solid Colour	GBBEJ	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
External Foiled Colour	FGBBEJ	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## COLOUR KEY FOR BETTABOARD

<div>W</div> <div>White</div>	<div>GO</div> <div>Golden Oak</div>	<div>NO</div> <div>Natural Oak</div>	<div>R</div> <div>Rosewood</div>	<div>T</div> <div>Tan</div>
-------------------------------	-------------------------------------	--------------------------------------	----------------------------------	-----------------------------

# HOMEFRAME

GRP DOORS.



# GRP COMPOSITE DOORS

Door Styles ..... 62

Colours ..... 64

Furniture ..... 65



# GRP COMPOSITE DOORS

**NEW**


## FEATURES

- Glass reinforced plastic skins
- Multi point hooks
- 3 star cylinders available
- Wide choice of colours and styles

**FAST  
DELIVERY**

### ROME



**DUCK EGG BLUE**  
Solid

### ROME 2



**BLACK**  
Habitat Glass Design

### CANNES 1



**CHARTWELL GREEN**  
Satin Glass Design

### CANNES 3



**WHITE**  
Dorchester Amber Glass Design

### MADEIRA



**BLUE**  
Reflections Glass Design



# DOOR STYLES

**TUSCANY**



**BLACK**  
Kensington Glass Design

**ATHENS**



**RED**  
Solid

**ATHENS 2**



**GREEN**  
Dorchester Green Glass Design

**ATHENS 4**



**GREY**  
Satin Glass Design

**HELSINKI**



**CHARTWELL GREEN**  
Elegance Glass Design

**MILAN 912**



**BLACK**  
Linear Glass Design

**MILAN 609**



**DUCK EGG BLUE**  
Classic Glass Design

**MILAN 203**



**BLUE**  
Classic Glass Design

**OSLO**



**GREEN**  
Simplicity Glass Design

**TURIN**




**GREY**  
Solid

**AMSTERDAM**



**GREY**  
Matrix Glass Design



**DUCK EGG BLUE**  
Linear Glass Design



**WHITE**  
Tahoe Glass Design

**ROTTERDAM**



**BLUE**  
Finesse Glass Design



**CHARTWELL GREEN**  
Modena Glass Design



**RED**  
Matrix Glass Design

**PORTO**



**BLACK**  
Modena Glass Design



#### DOOR COLOURS



Black



Blue



Chartwell Green



Red



Duckegg Blue



Green



Grey



White

#### FRAME COLOURS



Grey



White

# OPTIONS

## GLASS



Reflections



Flair



Beaumont



Elegance



Zinc Art Star



Linear

## FURNITURE

### LEVER HANDLES



### CENTRE KNOB



### LETTERPLATES



### KNOCKERS




### BAR HANDLES



## FURNITURE COLOURS



Chrome




Graphite



Black



Gold



White\*

\*White only available in Lever Handles and Letterplates

Available in 600 & 1200mm

TO VIEW OUR FULL RANGE PICK UP A BROCHURE FROM YOUR LOCAL DEPOT



# HOMEVIEW

BI FOLDS.





## BI FOLDING DOORS

Overview.....68

Features.....70



# BI FOLDING DOORS



## FEATURES

- Manufactured by GAP
- Cortizo aluminium system
- Adjustable jambs
- Homeowner marketing literature
- Quick quote in depots
- Quick delivery
- 1200 sash widths




# HOMEVIEW

BI FOLDS.





# OVERALL WIDTH OF BI FOLDING DOOR SET



Doors under 4800mm wide are delivered assembled. Doors over this come in 'easy to fit' kit form

## COLLECTION OR DELIVERY

As with all GAP products, our team can deliver your bi folding doors to site, or a convenient collection can be made when the order is received from the factory at your local depot.

## BI FOLD SYSTEM


HomeView bi folds are made using the widely respected Cortizo system. This system is perfect for installers looking to offer homeowners a thermally efficient, secure bi fold door system with a minimalist look. Sashes can be provided at 1200mm wide and come with a superb quality powder coated painted finish for aesthetics and longevity.



## ADJUSTABLE JAMBS

The Cortizo system comes with adjustable jambs as standard for the traffic door and outerframe. This provides fitters a small degree of adjustment to ensure a quality installation overall.

Outer Frame with Adjustable Jamb






## ROLLERS

The door rollers used on HomeView bi folds have been life cycle tested to 50,000 opens, which is the equivalent to 20 years of use. The rollers are made using high grade stainless steel with sealed in bearings.

## THRESHOLDS

Standard 55mm thresholds and low 20mm thresholds, both with thermal breaks, are available depending on the specification required by the customer.




## OPTIONS

A wide range of glass and colour options as indicated.

### Glass options



Standard



Solar Tint



Laminate




Self Cleaning



Integral Blinds


### Colour option 1



Anthracite  
7016

White  
9016


### Colour option 2



Black  
9005

Black  
9005


### Colour option 3



Anthracite  
7016

Anthracite  
7016

### Colour option 4



White  
9016

White  
9016



## CYLINDERS

For enhanced security, 3-star diamond sold secure cylinders are available as optional upgrades. Standard doors come with 1-star cylinders as standard. Vivo escutcheons come with 3-star cylinders as standard.

## HANDLES

Choose from a range of sturdy and ergonomic handles in a wide range of colour options. Matching Vivo handles are provided too for opening the sashes. An aluminium Rose handle is also available.



Satin Silver



White



Chrome



Grey



Black



Curved Rose  
Handle

WINDOW &

**DOOR CANOPIES**







## WINDOW & DOOR CANOPIES

Bow Canopies

74

GRP Door Canopies

75

# BOW CANOPIES


## FEATURES

- Fast and easy installation
- Strong rigid fibreglass
- One piece leak-proof moulding
- Foam-filled / unfilled optional
- Any opening from 1500 to 3400


## GALLOW'S BRACKET

DESCRIPTION	CODE
150mm Bracket	GB6
230mm Bracket	GB9
Available separately	


## FRONT ELEVATION



## TOP ELEVATION



## SIDE ELEVATION





## BOW CANOPIES

DESCRIPTION	CODE	A	B	C	1D	2D	E	F	H
1800 Canopy (Foam Filled)	BCFF18	250	2360	300	1900	1500	256	200	175mm
2400 Canopy (Foam Filled)	BCFF24	300	2830	300	2500	1900	390	250	310mm
2800 Canopy (Foam Filled)	BCFF28	310	3150	300	2800	2500	460	260	360mm
3400 Canopy (Foam Filled)	BCFF34	330	3730	300	3400	2800	590	280	490mm

## MK.1 BASE UNITS (INCLUDING GALLOW'S BRACKET)



DESCRIPTION	CODE	A	B	C	D	E	F	G
1800 1 Bracket	B18	2130	210	150	330	50	530	20
2400 1 Bracket	B24	2440	370	230	330	50	650	20
2800 2 Bracket	B28	2850	340	230	330	50	650	20



## MK.2 BASE UNITS (INCLUDING GALLOW'S BRACKET)

DESCRIPTION	CODE	A	B	C	D	E	F
1800 1 Bracket	*	2180	30	150	330	40	510
2400 1 Bracket	*	2670	30	230	330	40	660

\*Contact your local GAP depot.



## BOW CANOPY COLOURS



Standard White



Deeplas White



Light Oak



Brown



Anthracite Grey



# GRP DOOR CANOPIES



## FEATURES

- Easy to install and maintain
- Various configurations and colours available
- Manufactured using GRP
- Maintenance free

## CHELTENHAM



Open



Inverted T



Fleur De Lys

## BERKLEY



## DUNSTER



## WARWICK



## ROCKINGHAM



Please speak to your local depot or our sales office about how to order bespoke GRP Canopies.

# SKYLIGHTS & CONSERVATORIES





## SKYLIGHTS & CONSERVATORIES

Aluminium Roof  
Lanterns .....78

Flat Skylights .....81

Conservatory  
Roofs .....82

Polycarbonates .....85

# WENDLAND ALUMINIUM ROOF LANTERN




## FEATURES

- Clip-on features – fast to fit
- RidgeLOCK - perfect fit every time
- Simple neat design
- Less bars than other lanterns
- No visible fixings
- High thermal performance

Available in aluminium and PVC-U.

	1000	1500	2000	2500	3000	3500	4000	4500
750								
1000								
1500								
2000								
2500								
3000								


## KEY



## GLAZING OPTIONS



Unglazed



Clear Self Clean



Ambi Blue

## ALUMINIUM COLOURS

Anthracite Grey	Anthracite Grey	Black	White
Anthracite Grey	White	White	White


EXTERNAL

INTERNAL

## PVC-U COLOURS

Anthracite Grey	Anthracite Grey	White
Anthracite Grey	White	White






# KORNICHE ALUMINIUM ROOF LANTERN

*Korniche*

ALUMINIUM ROOF LANTERN

## FEATURES

- Sizes up to 6m x 4m can take 8 tonnes of weight
- Cast aluminium bosses for strength and rigidity
- Self cleaning glass option
- U-values 1 to 1.2
- Thermally broken eaves
- Q Ion gaskets
- Unbroken sightlines with slim 57mm profile



## LANTERN CONFIGURATIONS




## AVAILABLE SIZES

Vast range available up to 6m x 4m.

## GLAZING OPTION COLOURS



Un glazed



Clear Self



Ambi Blue



Ambi Aqua



Sunshade Blue



Ambi Bronze



Ambi Neutral

## ALUMINIUM ROOF LANTERN COLOURS



White



Black



Anthracite Grey



# FLAT SKYLIGHT



## FEATURES

- Distinctive frameless glass
- Fully insulated core
- Unique click-fit installation
- Noise reducing glass
- Overall U-value of 1.2



## STOCK SIZES

DESCRIPTION	CODE
600mm x 600mm - Black - Standard Glass 6/16/4	FSL06X06
1000mm x 1000mm - Black - Standard Glass 6/16/4	FSL1X1
1000mm x 1500mm - Black - Standard Glass 6/16/4	FSL1X15
1000mm x 2000mm - Black - Standard 6/16/6	FSL1X2
1200mm x 1200mm - Black - Standard Glass 6/16/4	FSL12X12

- 1 Edge to edge glass

2 Finline plasterboard trim

3 Slim aluminium surround

4 Fully insulated frame
- 5 Click-fit clips


6 Noise reducing glass (up to 34dB)

7 Double seal gaskets

## FLAT SKYLIGHT COLOUR OPTIONS



White



Black



Anthracite Grey




Bespoke (RAL Colour Specific)

# HYBRID SOLID ROOF



## FEATURES

- Low pitch 5° to 40.9°
- Wind tested to withstand hurricane winds up to 130mph
- Configurable glazed panels and shaped glazing for natural light and stunning internal design
- U-Value of 0.15 with option to go down to 0.12
- The most versatile and configurable solid roofing system available



1. Click fit aluminium powder coated top cap
2. 25mm exterior insulated panel. Choose from aluminium and Utec composite
3. Insulated bolster glazing bar
4. 90mm Kingspan insulation
5. 25mm Kingspan insulation
6. 12.5mm foil backed plasterboard (not supplied)

## HYBRID SOLID ROOF COLOURS




Athracite Grey  
(External)

# SOLID CONSERVATORY ROOF



## FEATURES

- No cutting, trimming or battening on site
- Extended external soffit options
- Internal pelmet as standard
- Spans over bi-folds up to 4m
- Lightweight designed to fit on frames
- Click fit aluminium hip and ridge options
- Available without tiles - use your own to match the house
- U-Value of 0.15 with option to go down to 0.12



1. Waterproof membrane
2. Ultrarof composite tiles
3. Gutter
4. Air gap to prevent condensation build up
5. Thermally efficient insulated panels
6. Thermally insulated structural box beam

## TILE COLOURS



Carbon Grey



Terra Brick



Harvest Brown



# CONSERVATORY ROOF



## FEATURES

- First roofing system to be BBA approved
- Watertight in winds up to 130mph
- Click-fit speed locks and top-caps
- No cutting or drilling on site
- Available with range of enhancements
- Chambered top caps as standard
- Integrated structural solutions for bi-folding doors
- Ventilation built in as standard
- Colour available internally and externally



## STYLES


Edwardian



Victorian




Gable



Lean-to



P-Shape



T-Shape



Bespoke sizes and shapes available.

## CLASSIC CONSERVATORY ROOF COLOURS



White



Cream



Sage Green



Grey



Ebony Black



Irish Oak


Bespoke colour options available.

# MULTIWALL POLYCARBONATE

## FEATURES


- Lightweight and high-impact resistance
- Extremely durable, weather and UV resistant
- Superb thermal insulating properties
- High-light transmission
- High-performance fire rating
- Easy to handle and install

### 6mm TWINWALL




WIDTH	LENGTH (MM)					CR	BR	OP	HG	HO
1050	2000	3000	4000	6000		<input type="checkbox"/>				
2100	2000	3000	4000	6000		<input type="checkbox"/>				

### 10mm TWINWALL




700	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1050	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1250	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>		
1400	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2100	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### 16mm TRIPLEWALL




700	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
900	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	
980	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	
1050	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1200	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>		
1400	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	
2100	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### 25mm 7X WALL STRUCTURE (MULTIWALL)



800	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
900	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	
1050	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1200	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	
1600	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2100	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### 35mm 7 WALL (MULTIWALL)




1050	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2100	2000	2500	3000	3500	4000	5000	6000	7000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


### COLOUR KEY FOR POLYCARBONATE




Clear




Bronze



Opal



Heatguard



Heatguard Opal

# SELF SUPPORTING GLAZING BARS

## FEATURES


- Takes glass or polycarbonate
- Can be used as hip bar

## WALL PLATES

- Takes glass or polycarbonate

## EAVES BEAMS

- Support legs available for car ports



### A SELF SUPPORTED GLAZING BARS (GLAZES 16-36mm)

DESCRIPTION	CODE
Economy 2.5m	SSBI25
Economy 3m	SSBI30
Economy 3.5m	SSBI35
Economy 4m	SSBI40

Includes 1 x End cap

### C WALL PLATE (GLAZES 16-35mm)

DESCRIPTION	CODE
Wall Plate 3m	SSBW30
Wall Plate 4m	SSBW40
Wall Plate 5m	SSBW50

### E EAVES BEAM (FITS FRAMES FROM 60-70mm)

DESCRIPTION	CODE
Eaves Beam 3m	SSEB3
Eaves Beam 4m	SSEB4
Eaves Beam Connector (Silver)	SSEBC

### B U-CHANNEL

DESCRIPTION	CODE
10mm PVC sheet closure (2.1m)	SEC10
16mm PVC sheet closure (2.1m)	S16
25mm PVC sheet closure (3.5m)	B25

### D END CAP

DESCRIPTION	CODE
Self Supported End Cap	SSEC

Available Separately

### F END BAR ADAPTOR

DESCRIPTION	CODE
End Bar Adaptor 2.5m	SSBE25
End Bar Adaptor 3m	SSBE30
End Bar Adaptor 3.5m	SSBE35
End Bar Adaptor 4m	SSBE40



# ALUMINIUM GLAZING BARS

## FEATURES

- PVC under cap
- No gaskets required



### A GLAZING BAR BASE & PVC CAP - WHITE

DESCRIPTION	CODE
3m	BHPO
4m	BHPR
6m	BHOR

### GLAZING BAR BASE & PVC CAP - BROWN

DESCRIPTION	CODE
3m	BJOP
4m	BYTO
6m	BGTY

### B END CAP - WHITE

DESCRIPTION	CODE
Single	BEFT

### END CAP - BROWN

DESCRIPTION	CODE
Single	BUZT

### C SIDE FLASHING - WHITE

DESCRIPTION	CODE
10mm (3m)	76112
10mm (4m)	76113
10mm (6m)	76346
16mm (3m)	76114
16mm (4m)	76115
16mm (6m)	76341
25mm (3m)	BCOS
25mm (4m)	BMOJ
25mm (6m)	BGVV

### SIDE FLASHING - BROWN

DESCRIPTION	CODE
10mm (3m)	76342
10mm (4m)	76343
10mm (6m)	76466
16mm (3m)	76463
16mm (4m)	76464
16mm (6m)	76465
25mm (3m)	BYKZ
25mm (4m)	BHSS
25mm (6m)	BPWP

### ANTI DUST TAPE (10m)

DESCRIPTION	CODE
10mm	ADT10
16mm	ADT16
25mm	ADT25

### BLANKING TAPE (10m)

DESCRIPTION	CODE
10mm	BT10
16mm	BT16
25mm	BT25

### D END CLOSURES - WHITE

DESCRIPTION	CODE
10mm (2.1m)	SEC10W
16mm (2.1m)	S16W
25mm (3.5m)	B25W

### END CLOSURES - BROWN

DESCRIPTION	CODE
10mm (2.1m)	SEC10B
16mm (2.1m)	S16B
25mm (3.5m)	B25B

### FIXING BUTTONS (10 PACK) - WHITE

DESCRIPTION	CODE
10mm	FB10W
16mm	FB16W
25mm	FB25W

### FIXING BUTTONS (10 PACK) - BROWN

DESCRIPTION	CODE
10mm	FB10B
16mm	FB16B
25mm	FB25B

A close-up photograph of dark grey roof tiles. The tiles are rectangular and laid in a staggered pattern. The edges of the tiles are slightly raised and have a rough, weathered appearance. A red rectangular box is positioned in the upper left corner, and a grey rectangular box is positioned below it, both containing white text.

ROOFING

SOLUTIONS



## ROOFING SOLUTIONS

Roof Slates  
& Tiles  
.....90

EPDM Rubber  
Membrane  
.....94

Polyurethane  
Membrane  
.....96

Ridge Kit & Lead  
.....98



# LITESLATE

## ROOF TILES

### FEATURES

- Pitch as low as 12°
- 297mm x 445mm
- Lightweight - 13kg/sqm
- Manufactured in the UK
- Easy to install
- Strong, durable - does not crack or break
- Made from 90% recycled polymers
- BS476-3 fire rated

**BRITMET**  
LIGHTWEIGHT ROOFING

**40**  
YEAR  
GUARANTEE

### LITESLATE ROOF TILE (445mm X 297mm)



DESCRIPTION	CODE
Roof Tile	BLS

### LITESLATE RIDGE-SLATE (445mm X 155mm)



DESCRIPTION	CODE
Ridge-Slate	BLSR

### 3-WAY TOP CAP



DESCRIPTION	CODE
19-22°	BLS3W19-22
23-26°	BLS3W23-26
27-30°	BLS3W27-30

### RIDGE END CAP



DESCRIPTION	CODE
19-22°	BLSREC19-22
23-26°	BLSREC23-26
27-30°	BLSREC27-30

**HIP END CAP 90°**

DESCRIPTION	CODE
End Cap 90°	BLSHEC90

**HIP END CAP 135°**

DESCRIPTION	CODE
End Cap 135°	BLSHEC135

**RIDGE VENT**


DESCRIPTION	CODE
Ridge Vent	BLSRV
Only available in Black	

**TILE VENT**

DESCRIPTION	CODE
Tile Vent	BLSTV

**LITE SLATE GRP VALLEY**


DESCRIPTION	CODE
1.5m	BLSV
Only available in Black	

**DRY VERGE/CONNECTORS**


DESCRIPTION	CODE
1m (Black)	BLSDVBL
2m (Black)	BLSDVBL/2M
Clip	BLSDVC
Only available in Black	

**ROOF PITCH****GAUGE****SLATES PER M<sup>2</sup>**


12-25° (fully boarded or felt & battens)	6" (152mm)	22
25-27.5° (fully boarded or felt & battens)	6.5" (165mm)	20
27.5-3° (fully boarded or felt & battens)	7" (178mm)	19
Above 30° (fully boarded or felt & battens)	7.5" (191mm)	18

**LITESLATE ROOF SLATE COLOURS****A**


Ash

**AM**

Amethyst

**C**

Charcoal

**O**


Oak

**SG**

Slate Grey

**SS**

Sunset

**SUN**

Sunshine



# SHINGLE

## ROOF TILES

### FEATURES

- Pitch between 15-90°
- 1231mm x 250mm
- Lightweight - 7kg/sqm
- Hidden interlocking design
- Manufactured in the UK
- Easy to install
- BS476-3 fire rated

**BRITMET**  
LIGHTWEIGHT ROOFING

**NEW**

**40**  
**YEAR**  
GUARANTEE

### SHINGLE ROOF TILE



#### DESCRIPTION

Roof Tile

#### CODE

SHING40

### UNIVERSAL TOP CAP



#### DESCRIPTION

Uni Top Cap

#### CODE

SLMUNIVERSALCOVER

### 3-WAY TOP CAP



#### DESCRIPTION

3-Way Top Cap

#### CODE

SLM3WAYRIDGE

### 5-WAY TOP CAP



#### DESCRIPTION

5-Way Top Cap

#### CODE

SLM5WAYRIDGE

## SLIMLINE ANGLE RIDGE



DESCRIPTION	CODE
Angle Ridge	SLMANGLERIDGE

## HIP END CAP 90°



DESCRIPTION	CODE
End Cap 90°	SLMRENDCAP90

## HIP END CAP 135°



DESCRIPTION	CODE
End Cap 135°	SLMRENDCAP135

## RIDGE END CAP



DESCRIPTION	CODE
Ridge End Cap	SLMRENDCAP

## 2-PART BARGE SOAKER



DESCRIPTION	CODE
Barge Soaker	BARGSOAK

## SHINGLE VALLEY



DESCRIPTION	CODE
Valley 1m	VALSBLK

Only available in Black

## RIDGE VENT STRIP



DESCRIPTION	CODE
Ridge Vent Strip	RIVEST

Only available in Black

## SHINGLE ROOF TILE COLOURS



Titanium Grey



Bramble Brown



Rustic Terracotta



Rustic Brown



Tartan Green



Rustic Red



Smoked Oak



Rustic Raven

# EPDM RUBBER MEMBRANE



## FEATURES


- Stocked in selected depots and cut to size whilst you wait
- Ideal for extensions, garages, sheds, balconies, trailers and more
- Seamless sheets in 1 piece
- Fire resistant
- BBA Approved

## SINGLE GARAGE ROLL



DESCRIPTION	CODE
3.05m x 7.62m	RCR305
Cut to size per m <sup>2</sup>	RCCTS

## PVC-U TRIMS



DESCRIPTION	CODE
2.5m x 65mm Edge/ Kerb Trim	RCQTEEDGEKERB2.5
3.5m x 65mm Edge/ Kerb Trim	RCQTEEDGEKERB3.5
2.5m x 65mm Gutter/ Drip Trim 2 part	RCQTGUTDRIP2.5

## CORNERS, JOINT & END CAPS

DESCRIPTION	CODE
Internal Corner	RCQTINTCORNER
External Corner	RCQTEXTCORNER
Trim End Cap (small)	RCQTENDCAPS
Corner End Cap (large)	RCQTENDCAPL
Joint	RCQTJOINTBUTT
Bond & Seal Sealant	RCQBSS
UPVC Foam Tape	RCQTFTAPE
Roll 8m	



## ADHESIVES

DESCRIPTION	CODE
Water based adhesive (5Ltr) 20m <sup>2</sup> coverage	RCWBA5
Water based adhesive (10Ltr) 40m <sup>2</sup> coverage	RCWBA10
Bonding spray 750mm	RCSPRAY
Bonding adhesive (5Ltr)	RCBA5
Bonding adhesive (10Ltr)	RCBA10

## ROLLER



DESCRIPTION	CODE
4" Sleeve	RCMINROLR
4" Frame	RCMINROLF
9" Sleeve	RCCAGEROLR
9" Frame	RCCAGEROLF

## JOINTING ACCESSORIES

DESCRIPTION	CODE
Quickscrubber Handle	RCQSHBM
Quickscrubber Pad	RCQSPBM
Quickprime plus (1Ltr)	RCQP1
Quickseam SA	RCQSFR1525
Flashing roll (15.25m)	
Quickseam batten cover strip roll (7.2m)	RCQSBCSR

## SILICONE RUBBER ROLLER



DESCRIPTION	CODE
Silicone Rubber Roller	RCSILROL
Penny Roller	RCPR
Cast Lead Flashing code 3-4 are ideal for your next rubber membrane installation.	

## DETAILING ACCESSORIES



DESCRIPTION	CODE
Quickseam pipe boot	RCQSPB
Black Wall Flash 70mm x 3m	RCWALL70
Quickseam corner flashings (carton 20)*	RCQSCF
9" Formflash roll (15.25m)	RCFFFLASH11525

\*Single Trims available on request.

## COLOURS FOR TRIMS, CORNERS, JOINTS & END CAPS



White



Black



Anthracite Grey



# LIQUID POLYURETHANE MEMBRANE



## FEATURES

- Stocked at selected depots
- Can be installed in a single layer
- Perfect for lots of detailed work
- Suitable for timber, OSB, metal, lead, bitumen, concrete, asphalt, masonry and brick
- Can be used for roofing, balconies, walkways and car parks
- Training courses available upon request
- BBA certified, Green roof and NHBC approval



## DESMOPOL



### DESCRIPTION

DESCRIPTION	COVERAGE	CODE
Desmopol Membrane 25kg	15m <sup>2</sup>	DP25M
Desmoplus Accelerator 2 Ltr	15m <sup>2</sup>	DP2A
Desmopol Membrane 6kg	3.6m <sup>2</sup>	DP6M
Desmoplus Accelerator 500ml	3.6m <sup>2</sup>	DP0.5A
Primer PU 1000 5 Ltr	33m <sup>2</sup>	DP5P
Desmothix 1 Ltr*	up to 60m <sup>2</sup> (per 1 Ltr)	DP1T
Tecnotop2C Topcoat (UV Stability) 4 + 1kg 2 components RAL 7043	25m <sup>2</sup>	DPT

\* Additive to thicken for upstands / vertical.



## ROLLERS &amp; MIXING TUBS



DESCRIPTION	CODE
Mini Roller Sleeves	RCMINROLR
Roller Sleeves 9 Inch	RCCAGEROLR
Roller Frame 9 Inch Screw Fit	RCCAGEROLF
Mini Roller Frame 10 Inch	RCMINROLF
11 Ltr Mixing Tub	DPMT
Measuring Jug 500ml	DPMJ

## ANTI-SLIPPERY FINISH



DESCRIPTION	COVERAGE	CODE
13kg (Green mineral chippings)	25-30m <sup>2</sup>	DP10AS
Anti-Skid additive for Topcoat.		

## MATTING



DESCRIPTION	COVERAGE	CODE
100mm x 120mtrs	120mtrs	DP100M
200mm x 120mtrs	120mtrs	DP200M
1000mm x 60mtrs	60m <sup>2</sup>	DP1000M
Matting for joints, upstands and detail.		

## AQUAPOL



DESCRIPTION	CODE
5kg	AP5KG

## FIBRE-REINFORCED EMERGENCY ROOF REPAIR



## FEATURES

- Emergency roof repair
- Immediately waterproof
- One coat application, no primer required
- Brush applied straight from the tin
- For wet and dry surfaces
- Shelf life of 12 months once opened

Suitable for use on concrete, fibre/cement, metal, felt, mastic, asphalt and existing bituminous coatings, leadwork, slates, tiles & brickwork. Also waterproofs gutters (plastic & metal), rigid pvc, downpipes, gulleys, flashing, vents, corrugated iron, copper and zinc.

# RIDGE KIT



## Ridge F Kit Features

- Resistant to wind and water
- Super strength nylon "ratchet" clips give superior strength and durability
- 6 metre ventilated ridge roll with pumped butyl for a quality seal
- Self-adhesive butyl strip provides a water tight seal and permanent bond

## RIDGE F COLOURS



Black



Terracotta

## HIP TRAY




### DESCRIPTION

### CODE

1.2m

HIPTRAY/12

## TREATED TIMBER ROOF BATTEN



### DESCRIPTION

### CODE

25mm x 38mm - 4.8m

BPRB2538

25mm x 50mm - 4.8m

BPRB

## RIDGE F KIT



### DESCRIPTION

### CODE

- 6 metre Easy Ridge F Roll
- Ridge Batten Brackets
- Universal Ridge Unions
- Fixing Kit

EASYRIDGE

## BREATHABLE MEMBRANE



### DESCRIPTION

### CODE

1m x 50m Master 223gsm Felt

EASYTRIMMASTER1

1m x 50m Pro 122gsm Felt

PROEASYTRIM/1M

## PLYWOOD OSB 3



### DESCRIPTION

### CODE

2440 x 1220 x 18mm

180SB

2440 x 1200 x 11mm

110SB

2440 x 590 x 18mm

OSB18TG

Load-bearing use in humid conditions.

# LEAD & LEAD ALTERNATIVE



## LEAD ALTERNATIVE

### LEAD ALTERNATIVE FEATURES

- Self adhesive using high performance butyl on the underside
- Made of sheet aluminium with a protective anti-corrosion coating
- Can be used in both flat and pitched roof applications
- Installation is simple with no special tools required
- Can be cut with a knife or scissors
- Cost effective replacement to lead
- BBA Approved

### SMOOTH LEAD ALTERNATIVE



#### DESCRIPTION

#### CODE

150mm x 5m	EASYLEADR1505SMT
300mm x 5m	EASYLEADR3005SMT
450mm x 5m	EASYLEADR4505SMT

Looks like lead but has no resale value therefore preventing theft.

### TEXTURED LEAD ALTERNATIVE



#### DESCRIPTION

#### CODE

150mm x 5m	EASYLEADR1505TXT
300mm x 5m	EASYLEADR3005TXT
450mm x 5m	EASYLEADR4505TXT

Unique corrugated pattern makes it easy to form and to adapt to various surfaces, giving an attractive appearance every time.

### CAST LEAD FLASHING 3m & 6m (CODE 3)



1.32MM  
THICK

DESCRIPTION	CODE
150mm/6" (13.5kg)	LS150
240mm/9" (21.5kg)	LS240
300mm/12" (27kg)	LS300
390mm/15" (35kg)	LS390
450mm/18" (40.5kg)	LS450
600mm/24" (54kg)	LS600

Used in commercial roofing and suitable for light applications such as soakers at the abutment.

### CAST LEAD FLASHING 3m & 6m (CODE 4)



1.80MM  
THICK

DESCRIPTION	CODE
150mm/6" (18.5kg)	LS4150
240mm/9" (29.5kg)	LS4240
300mm/12" (36.5kg)	LS4300
390mm/15" (48kg)	LS4390
450mm/18" (55kg)	LS4450
600mm/24" (73.5kg)	LS4600

Suitable for a range of roofing projects including soakers, flashings and vertical cladding.

### FLASHING TAPE




DESCRIPTION	CODE
75mm x 10m	FT75L
100mm x 10m	FT100L
150mm x 10m	FT150L
225mm x 10m	FT225L
300mm x 10m	FT300L
450mm x 10m	FT405L
600mm x 10m	FT600L

Lead replacement self-adhesive strip Ideal for emergency repair.

DRAINAGE

**& SOIL SYSTEMS**





## DRAINAGE & SOIL SYSTEMS

Underground  
Drainage System  
.....102

Ring Seal Soil  
System  
.....104



# UNDERGROUND DRAINAGE



## PIPE PLAIN ENDED



DESCRIPTION	CODE
3m	D043
6m	D046

## DOUBLE SOCKET SETTLEMENT REST BEND



DESCRIPTION	CODE
87.5° Bend	D570

## PIPE COUPLINGS



DESCRIPTION	CODE
Single Socket	D124
Double Socket	D105

## DOUBLE SOCKET REST BEND



DESCRIPTION	CODE
87.5° Bend	D571

## SINGLE SOCKET BENDS



DESCRIPTION	CODE
87.5° Bend (Socket/Spigot)	D161
45° Bend (Socket/Spigot)	D163
30° Bend (Socket/Spigot)	D164
15° Bend (Socket/Spigot)	D167

## DOUBLE SOCKET BENDS



DESCRIPTION	CODE
87.5° Bend	D561
45° Bend	D563
30° Bend	D564
15° Bend	D567

## ADJUSTABLE BEND



DESCRIPTION	CODE
0-90° Adjustable Bend	D560

## SOCKET PLUG



DESCRIPTION	CODE
Socket Plug	D296

# UNDERGROUND DRAINAGE

## MINI ACCESS CHAMBER (300mm DIA)




### DESCRIPTION CODE

270mm Deep Chamber Base D80  
5x110mm Flexible Inlets

270mm 45° Inlet Chamber D801  
Base 3x110mm Flexible Inlets

## MINI ACCESS CHAMBER ACCESSORIES



### DESCRIPTION CODE

340mm Sealed Screw D830  
Down Cover & Frame

## GARAGE PACK

5 Tonne  
Load Rating



### DESCRIPTION CODE

110mm Domestic D750  
Channel Drainage Pack  
(Plastic Grid)

110mm Domestic D751  
Channel Drainage Pack  
(Galvanised Grid)

Inc 3 x 1m Lengths, End cap & End  
outlet

## LARGE INSPECTION CHAMBER (450mm DIA)



### DESCRIPTION CODE

270mm Deep Chamber Base D900  
5x110mm Flexible Inlets

270mm Deep Chamber Base D910  
5x110mm Fixed Inlets

## EQUAL JUNCTIONS



### DESCRIPTION CODE

87.5° Junction D190  
(Double Socket)

45° Junction D210  
(Double Socket)

87.5° Junction D191  
(Triple Socket)

45° Junction D211  
(Triple Socket)

## LARGE INSPECTION CHAMBER ACCESSORIES



### DESCRIPTION CODE

235mm Extension Riser D915

Riser Sealing Ring D935  
(Use With Each Frame)

## BOTTLE GULLY TRAPS



### DESCRIPTION CODE

Bottle Gully Circular D510  
Grid

Back Inlet Bottle Gully D530  
Rectangular Grid

Back Inlet Bottle Gully D540  
Circular Grid

200mm Riser D505

## ADAPTERS



### DESCRIPTION CODE

Universal Waste Adaptor D95  
(32/40/50mm)

Universal Rainwater D96  
Adaptor (Sq/Rnd)

80 x 110mm Adaptor D97

## FLEXIBLE COUPLING & ADAPTORS



### DESCRIPTION CODE

Flexi Coupling D102  
98mm - 115mm

Flexi Adaptor D103  
A: 98mm - 115mm  
B: 120mm - 136mm

## UNIVERSAL GULLY TRAP



### DESCRIPTION CODE

Universal Gully Trap D500  
(Socket/Spigot 45°)

Spare Square Grid D502  
(Polypropylene)

Square Hopper inc D504  
Polypropylene Grid

## MINI ACCESS CHAMBER ACCESSORIES



### DESCRIPTION CODE

100mm Chamber Riser With D820  
Integral Rubber Ring

200mm Chamber Riser With D822  
Integral Rubber Ring

## LARGE INSPECTION CHAMBER ACCESSORIES



### DESCRIPTION CODE

\*450mm Plastic D930  
Cover & Frame

Cast Iron Cover & D923  
Plastic Frame

\*Conforms to new document H  
building regulations.

# RING SEAL SOIL SYSTEM



## PIPE SINGLE SOCKET



DESCRIPTION	CODE
3m	SP3

## BRACKETS



DESCRIPTION	CODE
Pipe Clip	SP82

## PIPE COUPLINGS



DESCRIPTION	CODE
Single Socket	SP124
Double Socket	SP105

## OFFSET BENDS



DESCRIPTION	CODE
135° Ringseal top & solvent bottom	SP440
135° Spigot / Solvent Socket	SP435

## ACCESS FITTINGS



DESCRIPTION	CODE
92.5° Access Bend	SP169
Socket Plug	SP296
Access Pipe (Socket/Spigot)	SP274

## BOSSES / MANIFOLDS



DESCRIPTION	CODE
Short Boss Pipe	SP583
Strap On Boss	SP319

## SOIL PIPE BRANCHES



DESCRIPTION	CODE
92.5° Branch	SP190

## TERMINAL FITTINGS



DESCRIPTION	CODE
Vent Terminal	SP302

# RING SEAL SOIL SYSTEM

## SOIL PIPE BENDS



DESCRIPTION	CODE
3m 92.5° Bend (Socket/Spigot)	SP161
92.5° Bend (Double Socket)	SP561
135° Bend (Socket/Spigot)	SP163

## BOSS ADAPTORS



DESCRIPTION	CODE
32mm	SP10
40mm	SP11
50mm	SP12
Rubber Push-Fit	

## SOIL WC CONNECTORS



DESCRIPTION	CODE
Straight	SP101
Only available in White	

## SOIL WC CONNECTORS



DESCRIPTION	CODE
14° Connector	SP108
Only available in White	

## SOIL WC CONNECTORS



DESCRIPTION	CODE
Offset	SP102
Only available in White.	

## SOIL WC CONNECTORS



DESCRIPTION	CODE
Swan Neck	SP100
Only available in White.	

## SOIL WC CONNECTORS



DESCRIPTION	CODE
90° Bend	SP103
Only available in White.	

## SOIL WC CONNECTORS



DESCRIPTION	CODE
250mm Extension	SP104
Only available in White.	

## SOIL WC CONNECTORS




DESCRIPTION	CODE
Flexible	SP106
Only available in White.	

## AIR ADMITTANCE VALVES




DESCRIPTION	CODE
Air Admittance Valves	AF110
Push Fit 110mm	

## COLOURS FOR RING SEAL SOIL SYSTEM



White



Black



Grey

# DECKING & FENCING







## DECKING & FENCING

Composite  
Decking ..... 108

Artificial Grass  
..... 111

Composite  
Fencing ..... 112

Composite  
Cladding ..... 114

NEW



# HUNTER

## REVERSIBLE

### FEATURES

- Unrivalled level of performance
- Enhanced aesthetics
- Low maintenance
- Slip resistance
- High durability
- Concealed fixing systems

Each of the 3 colours available has a wood effect pattern on one side and a colour matching traditional grooved finish on the reverse, meaning they can be laid either way.

3600 X 136 X 25mm

## COLOUR OPTIONS

HUNTER	
DESCRIPTION	CODE
Mid Grey	PIRHUDGY
Brown	PIRHUDBR
Anthracite	PIRHUDBL



MID GREY



BROWN



ANTHRACITE

NEW



**PIRANHA**  
DECKING & FENCING SOLUTIONS

**25  
YEAR  
GUARANTEE**

# TERRAFUZION

## DUAL SIDED

### FEATURES

- Unrivalled level of performance
- Enhanced woodgrain finish
- Low maintenance
- Fully capped
- Slip resistance
- Protection against fading
- Concealed fixing systems

Terrafuzion offers homeowners six colour options and the ability to create bespoke and on-trend designs, utilising contrasting sides of a Terrafuzion product.

## COLOUR OPTIONS

3600 X 140 X 23mm



MOCHA | ESPRESSO



SLATE | GRAPHITE



SANDSTONE | ISLAND MIST

### TERRAFUZION

#### DESCRIPTION

#### CODE

Mocha / Espresso

PIRFUDME

Slate / Graphite

PIRFUDGS

Sandstone / Island Mist

PIRFUDSI






# DECKING


## ACCESSORIES

### HUNTER EDGING



DESCRIPTION	CODE
Anthracite	PIRHUBL
Brown	PIRHUEBR
Mid Grey	PIRHUEGY

### HUNTER FASCIA




DESCRIPTION	CODE
Anthracite	PIRHUEFBL
Brown	PIRHUEFBR
Mid Grey	PIRHUEFBGY

### TERRAFUZION EDGING



DESCRIPTION	CODE
Espresso	PIRFUEES
Mocha	PIRFUEME
Sandstone	PIRFUESI
Island Mist	PIRFUEIS
Slate	PIRFUESL
Graphite	PIRFUEGS

### TERRAFUZION FASCIA



DESCRIPTION	CODE
Espresso	PIRFUEFBES
Mocha	PIRFUEFBME
Sandstone	PIRFUEFBSI
Island Mist	PIRFUEFBIS
Slate	PIRFUEFBSL
Graphite	PIRFUEFBGS

### END CLIP



DESCRIPTION	CODE
Clips with screw (25 per box)	PIRFUDENC

### STARTER CLIP



DESCRIPTION	CODE
Clips with screw (25 per box)	PIRFUDSTCSCR

### T CLIP (UNIVERSAL EDGING CLIP)



DESCRIPTION	CODE
Clips with screw (100 per box)	PIRUCLP

### SLIM METAL CLIP



DESCRIPTION	CODE
Clips with screw (100 per box)	PIRFUDMCSCR

NEW

**Luxigraze**  
ARTIFICIAL GRASS

# ARTIFICIAL GRASS

## & ACCESSORIES

### FEATURES

- Versatile
- More natural look
- No grass pollen
- Low maintenance
- High-quality backing
- Longer lasting
- Pre-punched for drainage

Luxigraze is an established range of high-quality artificial grass products designed for beautiful, all year round, low maintenance gardens.

## ACCESSORIES



SELF ADHESIVE JOINTING TAPE



JOINTING TAPE



U PINS

### ACCESSORIES

DESCRIPTION	CODE
Self Adhesive Jointing Tape	LUXTAPESA
Jointing Tape	LUXTAPE
U Pins	LUXFPIN



NEW



# FENCING

## PANELS

### FEATURES

- High durability
- Uv stability
- Combines contemporary with traditional
- Lengthy guarantee
- Low maintenance
- Composite design

Our range of composite fencing panels are unrivalled in terms of performance and style. They add a contemporary finish to any garden or outside space and remain low maintenance throughout the year.

1760 X 161.5 X 20mm

## COLOUR OPTIONS

### FENCE COLOURS

#### DESCRIPTION

#### CODE

Antique Grey	PIRFENAG
Brown Cedar	PIRFENBCD
Black Carbon	PIRFENBC

Fence Kits also available



ANTIQUE GREY



BROWN CEDAR




BLACK CARBON

# FENCING

## ACCESSORIES

### IN GROUND POST



#### DESCRIPTION

Kit (2.4m) Anthracite

#### CODE

PIRFENPOSTWITHOUTAN

### BOLT DOWN POST & FIXING BOLTS



#### DESCRIPTION

Kit (1.90m) Anthracite

#### CODE

PIRFENPOSTWITHAN

### POST CAP




#### DESCRIPTION

75 x 75 x 25mm

#### CODE

PIRFENPOSTCAPAN

### POST SKIRT



#### DESCRIPTION

140x140x40mm

#### CODE

PIRFENPOSTSKIRTAN

### TOP & BOTTOM TRIM KIT



#### DESCRIPTION

60 x 20 x 20mm

#### CODE

PIRFENTRIMFIXKIT

### DIAGONAL TRELLIS



#### DESCRIPTION

1800 x 450 x 20mm

#### CODE

PIRFENTREPREMAN

### HORIZONTAL TRELLIS




#### DESCRIPTION

1800 x 450 x 20mm

#### CODE

PIRFENTRESTANAN

### DECORATIVE ALUMINIUM SLATS



#### DESCRIPTION

1800 x 50 x 25mm (Pack of 3)

#### CODE

PIRFENDECO

NEW



# SHADOW CLADDING

## BOARDS

### FEATURES

- Contemporary look
- Sustainable option
- Sleek design
- Versatile
- Anti-warp
- Low maintenance

The perfect solution for a modern outdoor space, or for updating door and window surrounds on a home. These 3.6m long 'slatted effect' boards are available in a range of contemporary colours to provide a fantastic backdrop to any garden.

3600 X 170 (150) X 26mm

## COLOUR OPTIONS

### CLADDING COLOURS

#### DESCRIPTION

#### CODE

Antique Grey PIRSGCBAG

Black Carbon PIRSGCBB

Brown Cedar PIRSGCBC



ANTIQUE GREY



BLACK CARBON



BROWN CEDAR

# SHADOW CLADDING

## ACCESSORIES

### CORNER FASCIA TRIM



DESCRIPTION	CODE
Antique Grey	PIRSGCCFTAG
Black Carbon	PIRSGCCFTB
Brown Cedar	PIRSGCCFTBC

### END FASCIA TRIM



DESCRIPTION	CODE
Antique Grey	PIRSGCEFTAG
Black Carbon	PIRSGCEFTB
Brown Cedar	PIRSGCEFTBC

### SHADOW GAP SPACER




DESCRIPTION	CODE
Spacer (x10)	PIRSGCFC

### UNIVERSAL CLIP WITH SCREW




DESCRIPTION	CODE
Clip with screw (x100)	PIRSGCCA



**DON'T  
FORGET  
TO GRAB YOUR  
FIXINGS**

See page 144





# INTERNAL CLADDING







## INTERNAL CLADDING

250mm Wide  
..... 118

1000mm Wide  
..... 122

# DECOR RANGE

250mm WIDE

NEW



## MULTITILE ANTHRACITE

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-MA

## PVC TRIMS FOR 250mm PANELS (2400mm LENGTH)

DESCRIPTION	KEY	CODE
External Corner		PWPVC-EXTC
U Channel		PWPVC-UCHAN
Internal Corner		PWPVC-INTC

## CROSS SECTION



## PVC TRIM COLOURS



Chrome



White



### LIGHT GREY OAK

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-LGO



### NASSAU SILVER GREY

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-NSG




### GREY CHEVRON

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-GCHE



### TRADITIONAL RED BRICK

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-TRB



### KLASSIC TILE GREY

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-KTG



### HAVANNA SILVER GREY

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-HSG



### MOURINO

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-M

# CLASSIC RANGE

250mm WIDE



SUBTLE GREY MARBLE



SILVER EMBEDDED

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-SE



WHITE SPARKLE

DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75WS



WHITE ASH WOODGRAIN

DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75WA





LAVA	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-L




PERGAMON	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75PM



WHITE HIGH GLOSS	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75WHG



DARK GREY MARBLE	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-DGM



SUBTLE GREY MARBLE	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75SGM



CONCRETE GREY	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-CG




ORION	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-O



# DECOR RANGE

## 1000mm WIDE

**NEW**
**10  
YEAR  
GUARANTEE**


### ROMA

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-RM

### ALUMINIUM TRIMS FOR 1000mm PANELS (2400mm LENGTH)

DESCRIPTION	KEY	CODE
External Corner		PW-EXTC
U Channel		PW-UCHAN
Internal Corner		PW-INTC
Quadrant End Cap		PW-UQUAD
H Section Joiner		PW-HSECT
Angle 18.8 x 18.8mm		PW-RIDID

### CROSS SECTION



### ALUMINIUM TRIMS COLOURS



Chrome



NEW

## MOCCACHINO

## DESCRIPTION

## CODE

1000 x 10 x 2400mm

PW-1000-MOCC



NEW

## LONDON TILE

## DESCRIPTION

## CODE

1000 x 10 x 2400mm

PW-1000- LT



NEW

## VICTORIAN TILE DARK BEIGE

## DESCRIPTION

## CODE

1000 x 10 x 2400mm

PW-1000-VTDB



NEW

## MILAN

## DESCRIPTION

## CODE

1000 x 10 x 2400mm

PW-1000-MM



NEW


## FULL WAVE

## DESCRIPTION

## CODE

1000 x 10 x 2400mm

PW-1000-FW



NEW

## WAVE TILE

## DESCRIPTION

## CODE

1000 x 10 x 2400mm

PW-1000-WT



NEW

## HONEYCOMB TILE GREY

## DESCRIPTION

## CODE

1000 x 10 x 2400mm

PW-1000-HTG

# CLASSIC RANGE

1000mm WIDE



WHITE PLATINUM SPARKLE



WHITE PLATINUM SPARKLE

DESCRIPTION

CODE

1000 x 10 x 2400mm

PW-1000-WS



LIGHT GREY PLATINUM SPARKLE

DESCRIPTION

CODE

1000 x 10 x 2400mm

PW-1000-LGPS



DARK GREY MARBLE

DESCRIPTION

CODE

1000 x 10 x 2400mm

PW-1000-GM

**CARRERA MARBLE**

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-CCM

**SUBTLE GREY MARBLE**

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-SGM

**WHITE HIGH GLOSS**

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-HGW

**TRAVERTINE**

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-T

**LAVA**

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-LAV

**CONCRETE GREY**

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-CON

**PERGAMON**

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-PG



# INSTALLATION ESSENTIALS







## INSTALLATION ESSENTIALS

Silicones & Sealants	128
Adhesives & Aerosols	130
Fix Alls	131
Expanding Foams, Repair Paints & Wipes	132
Cleaners	134

# SILICONES

## SILIRUB 2



DESCRIPTION	CODE
Brilliant White	GS2W
Clear	GS2C
Irish Oak	GS2IO
Teak	GS2B
Cream (Ral 9001)	GS2CR

Premium quality perimeter sealing of PVC-U windows & doors.

## SILIRUB LMN



DESCRIPTION	CODE
Brilliant White	GLMNW
Clear	GLMNC
Caramel	GS20
Teak	GLMNB
Bronze	GS2BZ
Black (Ral 8022)	GS2BL
Anthracite (Ral 7016)	GS2A
Agate	GLMNAGATE
Slate	GLMNSG
Dark Brown	GLMNDB

Superior performance perimeter sealing of PVC-U windows & doors.

## SILIRUB LM



DESCRIPTION	CODE
Brilliant White	128335

A high trade quality silicone.

## SILIRUB N



DESCRIPTION	CODE
Brilliant White	GSNBW
Clear	GSNC
Teak	GSNB

A general purpose low modulus neutral cure silicone.

## SILIRUB 1



DESCRIPTION	CODE
White	GSANW
Clear	GSANC

High quality sanitary sealant with fungicide.

## EXTERIOR FRAME SILICONE



DESCRIPTION	CODE
Brilliant White	EFSW
Clear	EFSC
Brown	EFSB
Black	EFSBL
Grey	EFSG

A general purpose low modulus neutral cure sealant with fungicide.

## SILIRUB COLOUR



DESCRIPTION	CODE
Wine Red (Ral 3005)	GSCWR
Royal Blue (Ral 5011)	GSCRB
Rustic Green (Ral 6009)	GSCRG

RAL colour match silicone for coloured profiles. Other colours available subject to lead time. Premium quality perimeter sealing of PVC-U Windows, Doors and Roofline.

## STAY FRESH



DESCRIPTION	CODE
Ice White	125788
Clear	125925
Oyster (Ral 1013)	152986
Ivory (Ral 1015)	125924

Premium neutral grade lifetime guarantee.

For further information and technical data sheets for our wide range of Soudal products, please scan below.



# SEALANTS

## DECORATORS CAULK



DESCRIPTION	CODE
White	AS1
Brown	AS2

Paintable acrylic for the interior sealing of PVC-U windows & doors.

## GAP FILLER



DESCRIPTION	CODE
White	GP2

Solvent based PVC resin for filling/sealing of PVC-U frames.

## SODAFILL LIGHT WEIGHT FILLER



DESCRIPTION	CODE
900ml White	LWF900W

Lightweight sandable filler for filling of cracks and holes.

## LEAD NEUTRAL SILICONE



DESCRIPTION	CODE
Grey	LS

Suitable for sealing of lead sheet.

## AQUAFIX



DESCRIPTION	CODE
Transparent	AWS2

Repair of leaking rainwater joints or when sealing on damp surfaces.

## REPAIR EXPRESS



DESCRIPTION	CODE
Grey	ERCG
Beige	ERCBG

Textured repair cement. For quick filling of joints and cracks in concrete.

NEW

## SMX 506



DESCRIPTION	CODE
SMX 506 - White	SMXW
SMX 506 - Black	SMXBL

An approved wet sealant for self cleaning glass.

## SODASEAL MIRROR



DESCRIPTION	CODE
Grey	GMA

Hybrid based mirror adhesive non deforming to mirror backing.



**HIGH  
SPEED**  
CEMENT REPAIR

# ADHESIVES

## SUPER GLUES



DESCRIPTION	CODE
Super Glue 20gms (Medium Viscosity)	SG
Super Glue 50gms (High Viscosity)	50SG

## SUPER GLUE & ACTIVATOR (TWIN PACK)



DESCRIPTION	CODE
Super Glue & Activator	50MK
Fast curing superglues & activator to improve adhesion time.	

## ACTIVATOR



DESCRIPTION	CODE
Super Glue Activator 200ml	SGA

## SOUDABOND EASY



DESCRIPTION	CODE
Gun Grade 750ml	FAEGG
Hand Held 750ml	FAEHH
Fast curing PU foam adhesive mortar for filling & bonding.	

## GRIP ALL



DESCRIPTION	CODE
Solvent Based	GASB
Solvent Free	GASF
Fibre reinforced grab adhesive.	

# AEROSOLS

## ALL IN ONE



DESCRIPTION	CODE
All In One	GS
Universal use spray - Protects, lubricates, cleans & much more.	

## MULTI SPRAY



DESCRIPTION	CODE
Universal	GMS
Ideal for use on screws, bolts, nuts, axles, hinges & much more.	

## SILICONE LUBRICANT



DESCRIPTION	CODE
Multi use	SL400
Protective, lubricating, water repellent spray based on silicone oils.	

NEW





ULTIMATE SEALANT & ADHESIVE RANGE

The highly advanced range of multi-functional sealant and adhesive products are suitable for all your bonding and sealing needs, inside and outside, on all types of materials and surfaces. The ultimate all-around product range. We offer 4 different variants of Fix ALL® each with its own specific properties and characteristics.

FIX ALL TURBO



DESCRIPTION	CODE
White	FATW
Super-fast (20 mins), high initial tack, all weather use, mould resistant.	

FIX ALL EXTREME EXPRESS



DESCRIPTION	CODE
White	FAEW
Developed for the immediate bonding of extremely heavy materials.	

FIX ALL HIGH TACK



DESCRIPTION	CODE
White	FAW
Brown	FAB
Black	FABL
Grey	FAGR
Ultimate in sealant and adhesive performance, mould resistant.	

FIX ALL CRYSTAL



DESCRIPTION	CODE
Crystal Clear	FAC
100% Crystal clear, virtually invisible bonding, mould resistant, all weather use.	

	FIX ALL TURBO	FIX ALL EXTREME EXPRESS	FIX ALL HIGH TACK	FIX ALL CRYSTAL
SEALING	★★		★★★★★	★★★★★
BONDING	★★★★★	★★★★★	★★★★★	★★★
INITIAL GRAB	★★★	★★★★★	★★★★	★★
FAST SETTING	★★★★★	★★★★	★★	★



# EXPANDING FOAMS

## GUN GRADE



DESCRIPTION	CODE
Gun Grade 750ml	EGG
Foam Gun Cleaner 500ml	EGC

## HAND HELD



DESCRIPTION	CODE
Hand Held 750ml	EHH

## GENIUS GUN



DESCRIPTION	CODE
Genius Gun 600ml	124107

Hand held & Gun applied expanding PU foams for window & door installation.

# TOUCH UP & REPAIR PAINTS

## GRP DOOR SPRAY PAINT



NEW

DESCRIPTION	CODE
Chartwell Green	GRPSPRAYCG
Red	GRPSPRAYR
Duck Egg Blue	GRPSPRAYDEB
Anthracite Grey	GRPSPRAYANG
Black	GRPSPRAYBL
Green	GRPSPRAYGRE
White	GRPSPRAYW
Blue	GRPSPRAYBLUE

## GAP PVC SPRAY PAINT



NEW

DESCRIPTION	CODE
Agate Grey	GAPSPRAYAGATE
Chartwell Green	GAPSPRAYCG
Black Brown	GAPSPRAYBL
Slate Grey	GAPSPRAYSLATE
Anthracite Grey	GAPSPRAYANG

## PVC-U COVER UP MARKER PEN



DESCRIPTION	CODE
White	WHMP
Black	BMP
Woograin	WMP
Cherry	CMP
Rosewood	RMP
Chartwell Green	CGMP
Irish Oak	IOMP
Cream	CRMP
Agate Grey	AGATEMP
Slate Grey	SGMP
Dark Grey	DGMP
Other colours available on request	

## ALUMINIUM BI FOLD SPRAY PAINT



NEW

DESCRIPTION	CODE
Anthracite Grey	BIFOLDSPRAYAG
White	BIFOLDSPRAYW
Black	BIFOLDSPRAYBL

WIPES



MULTIUSE

Whether you need to clean up oil, grease, ink, paint, silicones, or uncured PU foam, reach for your UltraGrime® Pro Multiuse Clothwipes to handle it.



POWER SCRUB

UltraGrime Power Scrub is seriously powerful. Take out stubborn, ground-in grease, dirt & grime with ease – these Clothwipes have a textured side for extra scrubbing power.



ANTI-BAC

When the job gets messy, UltraGrime® Pro: Anti-Bac wipes deliver professional grade cleaning and disinfection to any application.



WIPES THAT FIGHT DIRTY

ULTRAGRIME GIVES YOU EXACTLY WHAT YOU NEED TO TAKE DOWN LIFE'S BIGGEST MESSSES FASTER AND EASIER THAN EVER BEFORE.

USE BIGGER, WETTER, STRONGER WIPES.  
USE ULTRAGRIME



ULTRA GRIME MULTIUSE



DESCRIPTION	CODE
100 Wipes	UW5900

ULTRA GRIME POWER



DESCRIPTION	CODE
80 Wipes	UW5920

ULTRA GRIME ANTI-BAC



DESCRIPTION	CODE
100 Wipes	UW5930

# CLEANERS

## GLASS CLEANER



DESCRIPTION	CODE
Glass Cleaner 1 Ltr	GC

## SOLVENT CLEANER



DESCRIPTION	CODE
Solvent Cleaner 1 Ltr	FC

## FOILED FRAME CLEANER



NEW

DESCRIPTION	CODE
Foiled UPVC Frame & Door Cleaner 500ml	KOUPVC

## AEROSOL GLASS FOAM CLEANER



NEW

DESCRIPTION	CODE
Aerosol Glass Foam Cleaner 750ml	AGC

## AEROSOL FRAME SPRAY CLEANER



NEW

DESCRIPTION	CODE
Aerosol Frame Spray Cleaner 750ml	AFC

## CREAM CLEANER



DESCRIPTION	CODE
Cream Cleaner 1 Ltr	FCC

## TISSUE WIPE



DESCRIPTION	CODE
183mm x 150m	TW

## SEALANT REMOVER



DESCRIPTION	CODE
400ml	GSR

To aid with removal of any sealant. Fast-acting aerosol formulation.

## SWIPEX CLEANING WIPES



DESCRIPTION	CODE
100	MPCW

For cleaning of hands & tools and to remove fresh silicone, PU, grease, oil, dirt & other contaminants (100 wipes).

INTRODUCING THE

# NEW

**SOUDAL**

# CLEANING RANGE



## GLASS & MIRROR FOAM CLEANER

PROVIDES A SPOTLESS  
STREAK-FREE FINISH.



## PVC SPRAY CLEANER

REMOVES INGRAINED  
DIRT, MARKS & RESIDUES.

AVAILABLE IN ALL  
GAP DEPOTS  
**NOW!**

TOOLS

& FIXINGS







## TOOLS & FIXINGS

Tools	138
Packers	141
Personal Protective Equipment	142
Drills & Multipack Tools	143
Fixings	144

# TOOLS

## PREDATOR PVC-U SAW



DESCRIPTION	CODE
508mm (20")	PVCHS

## PREDATOR UNIVERSAL SAW



DESCRIPTION	CODE
508mm (20")	UHS
350mm (14")	TLS44

## PREDATOR TWIN PACK



DESCRIPTION	CODE
Twin Pack	SJTP

## HACKSAWS & BLADES



DESCRIPTION	CODE
Frame 300mm (12")	TLS19
Blade (each)	TLS20

## CROW BAR



DESCRIPTION	CODE
906mm (24")	KEN5057240K

## RETRACTABLE STANLEY 99E KNIFE



DESCRIPTION	CODE
Knife	TLS13
Blades (Pk 5)	TLS22

## NYLON FACED HAMMERS



DESCRIPTION	CODE
20oz 32mm	KEN5273040K
Replacement Face 32mm	KEN5293040K
24oz 38mm	KEN5273060K
Replacement Face 38mm	KEN5293060K

## XPRT CHISEL BEAD KNIFE



DESCRIPTION	CODE
32mm	KNIFEIS32MM

## BODY SUCTION LIFTER



DESCRIPTION	CODE
3 Cup	GLASSLIFT1
120kg Maximum Capacity	


# TOOLS

## HEAVY DUTY SILICONE GUN



DESCRIPTION	CODE
Professional grade, full metal applicator gun.	HDSHG

## SILICONE HAND GUN



DESCRIPTION	CODE
400ml	SHGL

## EXPANDING FOAM GUN



DESCRIPTION	CODE
Applicator	FGA

## GASKET SHEARS



DESCRIPTION	CODE
Can also be used to cut window trims.	TLS36

## MOON KNIFE



DESCRIPTION	CODE
Moon Knife	TLS65

## SLIDING BEVEL



DESCRIPTION	CODE
Sliding Bevel	KEN5976750K

## T BAR ALLEN KEY



DESCRIPTION	CODE
4mm 3D Hinge Adjustment	KEN6016080K

## T15 TORX BAR



DESCRIPTION	CODE
Keep Adjustment	KEN6030150K

## TAPE MEASURES



DESCRIPTION	CODE
Stanley 5m	TLS59
Stanley 8m	TLS60

# TOOLS

## HOLESAW



suitable for  
circular vent

DESCRIPTION	CODE
70mm	HS70B
40mm	HS40B
Fits Arbour 32mm-210mm	

## JIGSAW BLADES (PK 5)



DESCRIPTION	CODE
Fine/Clean Cut 75mm	AHC12
Course Cut 75mm	AHG13

## ARBOUR



DESCRIPTION	CODE
A2 Arbour 32mm-210mm (5/8" x 18 thread)	AA2B
Fits Holesaw 40-70mm	

## SABRE SAW BLADES (PK 5)



DESCRIPTION	CODE
Long Thick Cut Metal 180mm	S1122BF
Coarse Cut 220mm	
Straight Coarse Cut 130mm	S1531L
Medium Cut Metal 130mm	S644D

## DRIVER BIT




DESCRIPTION	CODE
PZ2 -150mm (pk 1)	2CB150GB

## MASKING TAPE




DESCRIPTION	CODE
19mm	TLS16
25mm	TLS17
50mm	TLS18

## DOUBLE-SIDED TAPES



DESCRIPTION	CODE
10 x 1mm / 50m	GDS101
10 x 2mm / 25m	GDS102
10 x 3mm / 20m	GDS103
10 x 4mm / 15m	GDS104
12 x 1mm / 50m	GDS121
12 x 3mm / 20m	GDS123
12 x 4mm / 15m	GDS124
12 x 5mm / 12m	GDS125
15 x 1mm / 50m	GDS151
15 x 3mm / 20m	GDS153
15 x 4mm / 15m	GDS154
17 x 6mm / 10m	GDS176
20 x 3mm / 20m	GDS203
20 x 5mm / 12m	GDS205

## COLOURS FOR DOUBLE-SIDED TAPES



White



Black


# PACKERS

## 24mm FLAT PACKERS



DESCRIPTION	BAG (100)	BAG (1000)
24 x 100 x 1mm Green	FP241B	FP241
24 x 100 x 2mm Black	FP242B	FP242
24 x 100 x 3mm White	FP243B	FP243
24 x 100 x 4mm Grey	FP244B	FP244
24 x 100 x 5mm Blue	FP245B	FP245
24 x 100 x 6mm Red	FP246B	FP246

## 28mm FLAT PACKERS



DESCRIPTION	BAG (100)	BAG (1000)
28 x 100 x 1mm Green	FP281B	FP281
28 x 100 x 2mm Black	FP282B	FP282
28 x 100 x 3mm White	FP283B	FP283
28 x 100 x 4mm Grey	FP284B	FP284
28 x 100 x 5mm Blue	FP285B	FP285
28 x 100 x 6mm Red	FP286B	FP286

## MIXED FLAT PACKERS



DESCRIPTION	CODE
24 x 100 x 1-6mm (Bag 100)	MP24B
26 x 100 x 1-6mm (Bag 100)	MP26B
28 x 100 x 1-6mm (Bag 100)	MP28B
30 x 100 x 1-6mm (Bag 100)	MP30B
32 x 100 x 1-6mm (Bag 100)	MP32B
44 x 100 x 2-5mm (Bag 50)	MP44B
44mm Suitable for Triple Glazing	

## BRIDGE PACKER



DESCRIPTION	CODE
20 x 100 x 5mm	BP205
24 x 100 x 5mm	BP245
26 x 100 x 5mm	BP265
28 x 100 x 4mm	BP284
32 x 100 x 5mm	BP325
In 1000's only.	

## GLAZING SHOVEL



DESCRIPTION	CODE
Glazing Shovel	GZS



# WINBAG®

- pump it up..!

DESCRIPTION	CODE
Expands from 2mm - 50mm	WB





# PERSONAL PROTECTIVE EQUIPMENT

## FOLDABLE EAR DEFENDERS



DESCRIPTION	CODE
One Size	770390

## SAFETY GLASSES



DESCRIPTION	CODE
Clear	770999
Amber	770010



## TOUGHLIGHT GLOVE LATEX SANDY



DESCRIPTION	CODE
Medium	770558
Large	770847
X Large	770347

## HIGH CUT GLOVE PU COATED HPPE FIBRE



DESCRIPTION	CODE
Medium	770885
Large	770745
X Large	770228



Ideal for handling glass.

# PROPERTY CARE

## FLOOR PROTECTOR



DESCRIPTION	CODE
600mm x 50m	PFCC650
Available in Yellow or Clear.	

## DUST SHEETS/ TARPAULINS



DESCRIPTION	CODE
Dust Sheet 3660 x 2750mm (12" x 9")	DS
Tarpaulin 5490 X 3660mm (18" x 12")	TP

## RUBBLE SACKS



DESCRIPTION	CODE
18" x 29" (Roll of 7)	RS

# DRILLS & MULTIPACK TOOLS

## PREMIUM SDS HAMMER DRILL



DESCRIPTION	CODE
6.2mm x 210mm	SDSPL6210
6.2mm x 260mm	SDSPL6260
6.5mm x 210mm	SDSPL65210
6.5mm x 260mm	SDSPL65260

## LONG SERIES HSS DRILL BIT



DESCRIPTION	CODE
3.0mm	HSS3
4.0mm	HSS4
5.0mm	HSS5
6.0mm	HSS6
7.0mm	HSS7
8.0mm	HSS8
9.0mm	HSS9
10.0mm	HSS10

## ADDAX DRIVER BIT SET



DESCRIPTION	CODE
31pc	DBSETG31

## MULTI TOOL BLADE SET



DESCRIPTION	CODE
4pcs	MT4PSET
8pcs	MT8PSET

## IMPACT BIT SET



DESCRIPTION	CODE
11pcs	228447

## MINI QUICK CHANGE BAR CLAMP



DESCRIPTION	CODE
6"	468141




# FIXINGS

## PLASTIC HEADED PINS



DESCRIPTION	CODE	W	BL	DG	SG	AGATE	R	IO	O	CR/FW	WR	RB	RG	CG
30mm	PHP3	<input type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>					
30mm	GP30			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
40mm	PHP2	<input type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>					

## PLASTIC HEADED NAILS



DESCRIPTION	CODE	W	BL	DG	SG	AGATE	R	IO	O	CR/FW	WR	RB	RG	CG
50mm	PHN1	<input type="checkbox"/>												
65mm	PHN2	<input type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>					
65mm	GN60			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## CLADDING PINS



DESCRIPTION	CODE
30mm (pk 250)	GCP30

## SHADOW CLADDING SCREWS (x25)



DESCRIPTION	CODE
Black Carbon	PIRSGSCRBB
Antique Grey	PIRSGSCRAG
Brown Cedar	PIRSGSCRBC

## RAWLPLUGS



DESCRIPTION	CODE
Brown (100)	RP1
Red (100)	RP2

Brown: Drill size 7mm  
Minimum hole depth 45mm  
Red: Drill size 5.5mm  
Minimum hole depth 35mm

## COLOUR KEY



White



Light Oak



Black



Cream



Dark Grey



Wine Red



Slate Grey



Royal Blue



Agate Grey



Rustic Green



Rosewood



Chartwell Green



Irish Oak

## COVER CAPS



White



Black



Brown



Dark Grey

DESCRIPTION	CODE
Pack of 100	CC

**DIRECT FRAME ANCHORS (T30)**✓ **NO PLUG**✓ **HIGH STRENGTH**✓ **50% QUICKER ASSEMBLY**✓ **30% LESS DRIVE-IN TORQUE REQUIRED**

DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE
7.5mm x 62mm (qty 100)	DFA7562	7.5mm x 112mm (qty 100)	DFA75112	7.5mm x 152mm (qty 100)	DFA75152
7.5mm x 82mm (qty 100)	DFA7582	7.5mm x 122mm (qty 100)	DFA75122	7.5mm x 202mm (qty 100)	DFA75202
7.5mm x 102mm (qty 100)	DFA75102	7.5mm x 142mm (qty 100)	DFA75142		

**STAR SCREWS (PZ2)**

DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE
4mm x 25mm (qty 200)	GSS425	5mm x 25mm (qty 200)	GSS525	5mm x 70mm (qty 200)	GSS570
4mm x 30mm (qty 200)	GSS430	5mm x 30mm (qty 200)	GSS530	5mm x 80mm (qty 200)	GSS580
4mm x 35mm (qty 200)	GSS435	5mm x 40mm (qty 200)	GSS540	5mm x 90mm (qty 100)	GSS590
4mm x 40mm (qty 200)	GSS440	5mm x 50mm (qty 200)	GSS550	5mm x 100mm (qty 100)	GSS5100
4mm x 50mm (qty 200)	GSS450	5mm x 60mm (qty 200)	GSS560		
4mm x 60mm (qty 200)	GSS460				
4mm x 70mm (qty 200)	GSS470				

**BAYPOLE SCREWS (PH2)**

DESCRIPTION	CODE
5mm x 50mm (100)	GBS550
5mm x 60mm (100)	GBS560
5mm x 70mm (100)	GBS570
5mm x 80mm (100)	GBS580
5mm x 100mm (100)	GBS5100

**CAST IRON FIXINGS**

DESCRIPTION	CODE
50mm (pk 10)	FC50CI



# 3 Decades of Serving Customers

GAP started life as an independent specialist builder's merchant supplying window and door installers with products such as PVC-U trims, silicones, fixings and door panels.

Founded in 1993 in a small unit in Accrington, GAP has rapidly expanded its depot network over the years and now operates from 85 depots nationwide. In addition to this, GAP now manufacture over 70% of the products sold through the depots, from Roofline and Doors, to Windows and Bi Folds.



## Team Work

GAP couldn't have experienced the sustained growth over the last 30 years without the dedication, hard work and knowledge of the team - which now stands at over 1,000 team members.

Day in, day out, everyone at GAP is committed to serving customers with top quality products, at low trade prices, with the best service possible. Long may that continue!







THANK YOU FOR



YEARS





gap

T: 0845 313 10 12  
[www.gap.uk.com](http://www.gap.uk.com)



Follow us @GAP Ltd

GAP's policy is one of continuous improvement and we reserve the right to change details and prices at any time without notice. Reproduction of this brochure - in part or full - is strictly forbidden without the written consent of GAP. Due to variations in the printing process, colours are to be considered as representative of the actual product. GAP as an innovator in the industry will vigorously uphold and defend its intellectual and artistic rights from copy. © 2023, General All-Purpose Plastic. GPG 07 05/2024.

